

PERA TILE

TILE • STONE • OUTDOOR • WATER-JET







Where Material Meets Meaning

Every surface tells a story.

In the quiet movement of veining across marble. In the subtle grain of limestone shaped by time. In the precision edge of porcelain engineered for modern life. At Pera Tile, we believe materials are not decoration — they are structure, atmosphere, and permanence.

Founded in 2010, Pera Tile was built on a disciplined idea: curate fewer things, better. We are a designer, importer, and wholesale distributor of natural stone, porcelain, ceramic, mosaics, trims, and hardscape materials. From residential interiors to large-scale commercial environments, our collections are developed for those who value proportion, texture, longevity and value.

Our work begins long before materials arrive in our warehouse. For natural stone, we collaborate directly with quarries and production facilities, selecting materials carefully and reviewing each project at origin. Every project is inspected by our team before shipment — ensuring consistency in color range, finish quality, and dimensional precision. That level of oversight is not an added service; it is part of our standard.

Natural stone is a product of the earth, and honoring its variation requires both experience and accountability.

Execution matters just as much as sourcing. In California, we operate advanced fabrication capabilities using precision waterjet cutting and Italian machinery that allow us to shape, refine, and customize both stone and porcelain with accuracy and control. Whether it is a delicate waterjet design, a cleanly cut subway tile, a custom coping detail, or a porcelain end cap, we approach every fabrication request with the same discipline and care.

By combining global sourcing with in-house fabrication, we maintain control over the details that define a project. Inspiration is protected by precision. Design intent is supported by execution.

This balance — between creativity and discipline, craftsmanship and engineering — defines Pera Tile.

We do not expand carelessly or follow trends for the sake of novelty. We grow thoughtfully, invest in long-term partnerships, and stand behind what we deliver.

The result is a collection that feels curated rather than overwhelming, refined rather than excessive. Materials chosen with intention. Details executed with precision. Service built to support real projects and solve problems. At Pera Tile, we believe that surfaces shape experience. And when chosen carefully, inspected responsibly, and fabricated precisely, they endure.

A Word from Our Founder



It is a true pleasure to welcome you to the world of Pera Tile.

When I started this company, my goal was to build something intentional — a place where creativity and discipline work together. Materials have always meant more to me than appearance. They shape how a space feels, how it functions, and how it endures over time.

Over the years, I've come to appreciate even more deeply that beauty must be supported by structure. It must be sourced carefully, inspected thoughtfully, and executed with precision. That belief guides every decision we make. We don't chase trends or grow without purpose. We expand deliberately. We examine every detail. We fabricate with care. And we stand behind what we deliver — because our name is attached to every project.

As you move through this catalogue, I encourage you to take your time. Notice the textures. Notice the details. Imagine the spaces these materials could become.

Behind every collection is intention, and behind every detail is a commitment to doing things the right way.

We are genuinely excited that you are here, exploring what we have built. I hope the pages ahead spark ideas, challenge your creativity, and inspire something meaningful. Let's begin.

Funda Gurgoze
Founder, Pera Tile

contents

where material meets meaning...	4
a word from our founder	5
special orders	8
atelier pera	9

NATURAL STONE

LIMESTONE

atlantis.....	10
castanea	10
coastal grey.....	11
lymra	12
memphis	12
saramago	13
verano	14

MARBLE

bianco carrara	16
bianco dolomiti	17
bianco marea	18
cadet grey	19
calacatta gold.....	21
levant	23
merceene	25
niobe grey	27
noir noble	30
sparta.....	31
thassos white	32
vanilla	33

TRAVERTINE

alchemy.....	35
arcadian	37
hun silver	39
meditera.....	42
noce sephia.....	45

TERRAZZO

slimline	48
----------------	----

CERAMIC / PORCELAIN

LARGE FORMAT

baywood	50
bespoke	52
cascade	54
chroma.....	55
eastside.....	56
eureka	59
galerie	62
gemstone	64
heritage	67

impression.....	69
invisible gold.....	70
memory	71
midtown	73
nero marquina	75
noble	77
petravera	79
pietrasanta	81
silk.....	84
silky stone	86
stack	90
sublime.....	91
upstone	92
urbana.....	96
veneto	98
vintage wood.....	101

SMALL FORMAT

arc.....	104
borriana.....	105
brickhouse.....	108
colors	109
contemporary	111
drift.....	113
frame.....	115
plankette	116
posh.....	117
ravello.....	119
refined	120
saint germain.....	121
switch.....	124
verona	127
village	129

WALL PANELS & LEDGERS

fusion	132
iguazu	134
marmi.....	136
natura.....	138
ontario.....	140
samurai	141
volcano.....	143

PAVERS & COPINGS


baltic	145
DreamScapes™	148
forest.....	155
pietrasanta	157

technical reference	159
---------------------------	-----


SPECIAL ORDERS (1–4 weeks)

All of our large format natural stone and porcelain lines can be made into any of the following sizes and shapes using our in-house machinery.


FIELD TILES



MOSAICS



BASEBOARD




Special order field tile sizes vary by collection.


ATELIER PERA

Exclusive Waterjet Collection Made-To-Order in California


STANDARD PATTERNS




4" Alhambra




4" Fishscale Mosaic




3 1/4" Hexagon




Angelique Macro



Angelique Mini




Bloom




Bohemia




Courant




Corrente




Corrente Border




Diamante



Diamante Border




Emerald




Floret




Foliage




Halo




Lantern Macro




Lantern Mini




Links




Luster



Messina



Remix



Vintage



Pera Tile offers pre-made blends in all of the patterns above and also the ability to customize the colors. Visit our Customization Studio on our website to explore.

limestone

atlantis

A rare palette of greyish-green tones threaded with sandy hues of fossil and sediment, Atlantis brings organic depth and quiet drama to walls, floors, and exterior surfaces alike.



12" X 24" Field Tile
Honed 170219



12" X 24" Field Tile
Flamed & Brushed 170399



12" X 12" Field Tile
Honed 170176



16" X 24" Paver
Flamed & Washed 180169



16" X 24" X 5cm Modern Edge Coping
Flamed & Washed 185133



castanea

Deep chestnut tones and a subtle fossil structure give Castanea a grounded warmth—a quiet richness for interiors that prefer substance over statement.



12" X 24" Field Tile
Leather 170231

limestone

An exceptionally hard limestone in a soft, warm grey palette, Coastal Grey is offered in our widest range of finishes—honed, striated, bandalette, fine-picked—giving designers full command of texture and tone across interior and exterior projects.

coastal grey



18" X 36" Field Tile
Brushed 170480



18" X 18" Field Tile
Honed 170481



12" X 24" Field Tile
Honed 170483



12" X 24" Field Tile
Coarse Striated 170486



12" X 24" Field Tile
Striated 170485



12" X 24" Field Tile
Bandalette 170484



Linear Pattern 3cm Paver
Fine Picked 180226



16" X 24" Paver
Fine Picked 180227



12" X 24" X 3cm Coping
Top & Bottom Eased
Fine Picked 185217



16" X 24" X 5cm Coping
Top & Bottom Eased
Fine Picked 185216



limestone

lymra

One of the most consistent whites in our portfolio, Lymra carries a soft grain and luminous, pure tone—offered in multiple field tile formats and dimensional raked finishes for designers who build with calm, considered surfaces.




18" X 36" Field Tile
Honed 170452



24" X 24" Field Tile
Honed 170490



12" X 24" Field Tile
Honed 170145



12" X 24" Field Tile
Bandalette 170367



12" X 24" Field Tile
Coarse Striated 170475



12" X 24" Field Tile
Striated 170474



12" X 24" Field Tile
Bamboo 170473



12" X 24" Field Tile
Ondulato 170459



6" X 24" Field Tile
Striated & Brushed 170372

memphis

A reliably consistent light brown limestone with occasional veins and fossils, Memphis pairs neutral warmth with exceptional hardness—at home in both traditional and contemporary projects, indoors and out.



18" X 36" Field Tile
Leather 170388



12" X 24" Field Tile
Leather 170310



limestone

Quarried in Portugal, Saramago is neutral, consistent, and effortlessly refined—a limestone that moves between minimalist and classically layered interiors without losing its quiet character.

saramago



24" X 24" Field Tile
Brushed 170376



12" X 24" Field Tile
Brushed 170375



limestone verano

Soft fossil markings drift across an almost-white ground, lending Verano a coastal lightness. Backed by one of our most complete paver and coping programs, it moves from interior floors to the pool's edge without missing a beat.



24" X 24" Field Tile
Brushed 170305
Honed 170424



18" X 36" Field Tile
Brushed 170389
Honed 170476



18" X 18" Field Tile
Honed 170245



12" X 24" Field Tile
Brushed 170244
Honed 170243



12" X 24" Field Tile
Combed 170477



Versailles Pattern Paver
Tumbled 180184



Roman Pattern Paver
Tumbled 180185



24" X 24" Paver
Tumbled 180197



16" X 24" Paver
Tumbled 180186



16" X 16" Paver
Tumbled 180187



12" X 24" Paver
Tumbled 180198



12" X 12" Paver
Tumbled 180188



6" X 12" Paver
Tumbled 180189

limestone
verano



16" X 24" X 5cm Modern Edge Coping
Tumbled 185169



16" X 24" X 5cm Bullnose Coping
Tumbled 185183



12" X 24" X 5cm Modern Edge Coping
Tumbled 185184



12" X 24" X 5cm Bullnose Coping
Tumbled 185170



12" X 24" X 3cm Bullnose Coping
Tumbled 185171



12" X 12" X 5cm Bullnose Coping
Tumbled 185172



12" X 12" X 3cm Bullnose Coping
Tumbled 185173



6" X 12" X 3cm Bullnose Coping
Tumbled 185174



marble

bianco carrara

One of Italy's most celebrated white marbles, Bianco Carrara is defined by its balanced purity and signature vein structure—an enduring foundation for interiors that aspire to quiet elegance.



24" X 24" Field Tile
Honed 170435
Polished 170436



18" X 36" Field Tile
Honed 170433
Polished 170434



18" X 18" Field Tile
Honed 170104
Polished 170106



12" X 24" Field Tile
Honed 170211
Polished 170210



12" X 12" Field Tile
Honed 170103
Polished 170105



6" X 12" Field Tile
Honed 170211-6x12
Polished 170210-6x12



3" X 6" Field Tile
Honed 170211-3x6
Polished 170210-3x6



2" X 2" Mosaic
Honed 150364
Polished 150365



3" X 6" Brick Mosaic
Honed 150103
Polished 150105



2" Hexagon Mosaic
Honed 150106
Polished 150107



1" X 4" Herringbone
Honed 150368
Polished 150369



Penny Round Mosaic
Honed 150366
Polished 150367



1/2" X 12" Pencil Liner
Honed 160214
Polished 160215



3/4" X 12" Box Liner
Honed 160105
Polished 160106



3/4" X 12" Bullnose
Honed 160107
Polished 160108



2" X 12" Retro Chair Rail
Honed 160111
Polished 160112



2" X 12" Box Chair Rail
Honed 160103
Polished 160104





marble

Quarried in Turkey, Bianco Dolomiti reads as a true white while retaining the soft veining that defines fine marble.

bianco
dolomiti



24" X 24" Field Tile
Honed 170438



18" X 36" Field Tile
Honed 170437



12" X 24" Field Tile
Honed 170427
Standard Selection



12" X 24" Field Tile
Honed 170426
Extra Selection




12" X 12" Field Tile
Honed 170429



3" X 6" Field Tile
Honed 170432



1" X 4" Herringbone
Honed 150370



2" X 2" Square Mosaic
Honed 150360



3" Hexagon Mosaic
Honed 150361



2" Hexagon Mosaic
Honed 150484

1/2" X 12" Pencil Liner
Honed 160212

marble

bianco marea

Soft taupe and grey veining moves across a quiet white ground, giving Bianco Marea a versatility that reads as both classical and contemporary—available in a full range of sizes and formats.



24" X 24" Field Tile
Honed 170343
Polished 170385



18" X 18" Field Tile
Honed 170342



12" X 24" Field Tile
Honed 170341
Polished 170351



12" X 24" Field Tile
Bandalette 170478



12" X 12" Field Tile
Honed 170340
Polished 170378



2" Hexagon Mosaic
Honed 150324
Polished 150346



A sought-after grey for both interior and exterior work, Cadet Grey is offered across finishes—stria, honed, split face, and fine-picked—each one drawing out a different facet of the stone's character.

marble cadet grey



6" X 24" Field Tile
Striated & Brushed 170405



6" X 24" Interlocking Ledger
Honed 110023



6" X 24" Interlocking Ledger
Splitface 110024



6" X 24" Interlocking Ledger
Splitface in Cadet Grey & Horizon 110025



6" X 24" Corner for Interlocking Ledger
Honed 110023-O



6" X 24" Corner for Interlocking Ledger
Splitface 110024-O



6" X 24" Corner for Interlocking Ledger
Splitface in Cadet Grey & Horizon 110025-O



7" X 20" 3D Interlocking Ledger
Honed 110003



7" X 20" Interlocking Ledger
Splitface 110004




Versailles Pattern Paver
Fine Picked 180221




16" X 24" Paver
Fine Picked 180190


marble
cadet grey




16" X 24" X 5cm
Modern Edge Coping
Fine Picked 185175



16" X 24" X 5cm
Bullnose Coping
Fine Picked 185205



16" X 24" X 3 cm
Modern Edge Coping
Fine Picked 185185




16" X 24" X 3cm
Bullnose Coping
Fine Picked 185206



12" X 24" X 5cm
Modern Edge Coping
Fine Picked 185134



12" X 24" X 5cm
Bullnose Coping
Fine Picked 185207



12" X 24" X 3cm
Bullnose Coping
Fine Picked 185208

marble

Quarried in the Italian mountains, Calacatta Gold is among the most coveted white marbles in the world—its dramatic grey and taupe veining lifted by occasional flashes of warm gold.

calacatta gold



24" X 24" Field Tile
Honed 170441
Polished 170442



18" X 36" Field Tile
Honed 170439
Polished 170440



18" X 18" Field Tile
Honed 170114
Polished 170116



12" X 24" Field Tile
Honed 170401
Polished 170402



12" X 12" Field Tile
Honed 170403
Polished 170404



6" X 12" Field Tile
Honed 170401-6x12
Polished 170402-6x12



3" X 6" Field Tile
Honed 170401-3x6
Polished 170402-3x6



1" X 4" Herringbone
Honed 150375
Polished 150376



2" X 2" Mosaic
Honed 150371
Polished 150372



Penny Round Mosaic
Honed 150373
Polished 150374



2" Hexagon Mosaic
Honed 150120
Polished 150121



2" X 12" Retro Chair Rail
Honed 160199
Polished 160200



2" X 12" Box Chair Rail
Honed 160125
Polished 160126



1/2" X 12" Pencil Liner
Honed 160197
Polished 160198



3/4" X 12" Box Liner
Honed 160127
Polished 160128



marble

Wispy, cloudlike veining drifts across a soft white ground—Levant carries the spirit of our Bianco and Calacatta marbles in a quieter register, ideal where restraint is the goal.

levant



6" X 24" Field Tile
Striated & Brushed 170374



6" X 24" Interlocking Ledger
Honed 110026



6" X 24" Interlocking Ledger
Splitface 110027



6" X 24" Corner for Interlocking Ledger
Honed 110026-O



6" X 24" Corner for Interlocking Ledger
Splitface 110027-O



6" X 24" Interlocking Ledger in Levant and Hun Silver
Splitface 110028



6" X 24" Interlocking Ledger in Levant and Niobe Grey
Splitface 110029



6" X 24" Corner for Interlocking Ledger
in Levant and Hun Silver Splitface 110028-O



6" X 24" Corner for Interlocking Ledger
in Levant and Niobe Grey
Splitface 110029-O



7" X 20" Interlocking Ledger
in Levant and Hun Silver
Splitface 110010



7" X 20" Interlocking Ledger
Splitface 110012

marble
levant



Versailles Pattern Paver
Fine Picked 180191



16" X 24" Paver
Fine Picked 180192



16" X 24" X 5cm
Modern Edge Coping
Fine Picked 185148



12" X 24" X 5cm
Modern Edge Coping
Fine Picked 185149



16" X 24" X 5cm
Bullnose Coping
Fine Picked 185186





Blue-grey veins move across a crystalline white ground, giving Merceene a sense of depth and texture even in its honed and polished finishes—a structurally strong marble built for both intimate and large-scale specifications.

marble
merceene



12" X 24" Field Tile
Vein Cut - Honed 170324
Vein Cut - Polished 170325



Linear Pattern Paver
Fine Picked 180178



Roman Pattern Paver
Fine Picked 180194



24" X 24" Paver
Fine Picked 180203



12" X 24" Paver
Fine Picked 180204



16" X 24" Paver
Fine Picked 180195

marble

merceene



16" X 24" X 5cm Modern Edge Coping
Fine Picked 185156



12" X 24" X 5cm Bullnose Coping
Fine Picked 185157



12" X 24" X 5cm Modern Edge Coping
Fine Picked 185178



12" X 24" X 3cm Bullnose Coping
Fine Picked 185158



12" X 12" X 5cm Bullnose Coping
Fine Picked 185179



12" X 12" X 3cm Bullnose Coping
Fine Picked 185180



6" X 12" X 3cm Bullnose Coping
Fine Picked 185181

marble

Rich, layered grey tones make Niobe Grey one of our most adaptable marbles—pairing easily with adjacent natural stone or porcelain across interior and outdoor environments.

niobe
grey



7" X 20" 3D Interlocking Ledger
Honed 110018



7" X 20" Interlocking Ledger
Splitface 110019



6" X 24" Interlocking Ledger
Honed 110030



6" X 24" Interlocking Ledger
Splitface 110031



6" X 24" Interlocking Ledger in Levant and Niobe Grey
Splitface 110029



6" X 24" Corner Interlocking Ledger
Honed 110030-O



6" X 24" Corner Interlocking Ledger
Splitface 110031-O



6" X 24" Corner 3D Interlocking Ledger
in Levant and Niobe Grey
Splitface 110029-O




marble

niobe grey



Versailles Pattern Paver
Fine Picked 180179



Roman Pattern Paver
Fine Picked 180180



Linear Pattern Paver
Fine Picked 180181



24" X 24" Paver
Fine Picked 180210



16" X 24" Paver
Fine Picked 180196



12" X 24" Paver
Fine Picked 180211



16" X 16" Paver
Fine Picked 180212



12" X 12" Paver
Fine Picked 180213




6" X 12" Paver
Fine Picked 180214


marble
niobe
grey



16" X 24" X 5cm
Modern Edge Coping
Fine Picked 185159



16" X 24" X 5cm
Bullnose Coping
Fine Picked 185182



12" X 24" X 5cm
Modern Edge Coping
Fine Picked 185176



12" X 24" X 5cm
Bullnose Coping
Fine Picked 185160



12" X 24" X 3cm
Modern Edge Coping
Fine Picked 185200



12" X 24" X 3cm
Bullnose Coping
Fine Picked 185161




12" X 12" X 5cm
Modern Edge Coping
Fine Picked 185201



12" X 12" X 5cm
Bullnose Coping
Fine Picked 185202



12" X 12" X 3cm
Modern Edge Coping
Fine Picked 185203



12" X 12" X 3cm
Bullnose Coping
Fine Picked 185162



6" X 12" X 3cm
Bullnose Coping
Fine Picked 185163



4" X 12" X 5cm
Bullnose Coping
Fine Picked 185204

marble

noir noble


Bold white veining cuts across a jet-black ground, giving Noir Noble a graphic, architectural presence—a marble for moments meant to be remembered.



24" X 24" Field Tile
Polished 170443
Honed 170444



12" X 24" Field Tile
Polished 170445
Honed 170446




12" X 12" Field Tile
Polished 170188
Honed 170447



6" X 12" Field Tile
Polished 170445-6x12
Honed 170446-6x12



3" X 6" Field Tile
Polished 170445-3x6
Honed 170446-3x6



2" X 2" Square Mosaic
Polished 150377
Honed 150378



2" Hexagon Mosaic
Polished 150379
Honed 150380



1" X 4" Herringbone Mosaic
Polished 150389
Honed 150390



1/2" X 12" Pencil Liner
Polished 160216
Honed 160217



marble

Named for the region where it is quarried, Sparta combines warm tan and cream tones with a tumbled finish program of coordinating shapes and mosaics—built for layered, classically inflected installations.

sparta



24" X 24" Field Tile
Polished 170421
Honed 170492



18" X 18" Field Tile
Polished 170422



12" X 24" Field Tile
Polished 170423
Honed 170470




12" X 12" Field Tile
Tumbled 170110



4" X 4" Field
Tile
Tumbled
170112



6" X 6" Field
Tile
Tumbled
170111




2" X 2" Square Mosaic
Tumbled 150113

1/2" X 12" Pencil Liner
Honed 160220


marble

thassos white


Quarried in the Greek Isles, Thassos White is prized for its crystalline structure and uncompromising purity—one of the cleanest, most luminous whites in our portfolio.



12" X 24" Field Tile
Polished Extra 170320



12" X 24" Field Tile
Polished Select 170317
Honed Select 170332




12" X 12" Field Tile
Polished Select 170190
Honed Select 170331*



6" X 12" Field Tile
Polished Extra 170348



3" X 6" Field Tile
Polished Select 170450
Honed Select 170451



5/8" X 5/8" Square Mosaic
Polished Select 150179
Honed Select 150381



2" X 2" Square Mosaic
Polished Select 150383
Honed Select 150384



2" Hexagon Mosaic
Polished Select 150178
Honed Select 150382




3" X 6" Brick Mosaic
Polished Select 150177




Penny Round Mosaic
Polished Select 150385
Honed Select 150386



1" X 4" Herringbone Mosaic
Polished Select 150387
Honed Select 150388



3/4" X 12" Bullnose Trim
Polished Select 160167



1/2" X 12" Pencil Liner Trim
Polished Select 160218
Honed Select 160219

**Special order (2-3 weeks)*


marble

Vanilla pairs creamy tan ground with delicate white veining—a soft, warming counterpoint to cooler whites and greys, well-suited to projects with classical or hospitality references.

vanilla



24" X 24" Field Tile
Honed 170495



18" X 18" Field Tile
Honed 170496



12" X 24" Field Tile
Brushed 170498
Honed 170497



12" X 12" Field Tile
Honed 170499
Tumbled 170500



6" X 6" Field Tile
Tumbled
170501



4" X 4" Field Tile
Tumbled
170502



2" X 2" Square Mosaic
Tumbled Select 150485





travertine

A travertine of unusual complexity, Alchemy moves between beige, grey, and brown across a single slab—an expressive base for installations that welcome natural variation.

alchemy



24" X 24" Field Tile
Honed & Filled 170158



18" X 18" Field Tile
Honed & Filled 170156



12" X 24" Field Tile
Honed & Filled 170218



12" X 12" Field Tile
Honed & Filled 170157



12" X 12" Field Tile
Tumbled 170160



6" X 6"
Field Tile
Tumbled
170161



4" X 4"
Field Tile
Tumbled
170162




7" X 20" 3D Interlocking Ledger
Honed 110001



7" X 20" 3D Interlocking Ledger
Splitface 110032



Versailles Pattern Paver
Tumbled 180166



Roman Pattern Paver
Tumbled 180222



16" X 24" Paver
Tumbled 180206

travertine

alchemy



16" X 24" X 5cm
Top & Bottom Eased
Tumbled 185209



16" X 24" X 5cm
Bullnose Coping
Tumbled 185210



12" X 24" X 5cm
Top & Bottom Eased
Tumbled 185212



12" X 24" X 5cm
Bullnose Coping
Tumbled 185127



12" X 24" X 3cm
Bullnose Coping
Tumbled 185188



travertine arcadian

A deeper, walnut-toned counterpart to our Meditera collection, Arcadian carries the warmth of classical travertine into contemporary projects—comfortable, grounded, and easy to specify across interior and exterior surfaces.



Versailles Pattern Field Tile
Brushed and Chiseled 170192



18" X 18" Field Tile
Honed & Filled 170279



Versailles Pattern Paver
Tumbled 180160



Roman Pattern Paver
Tumbled 180167



24" X 24" Paver
Tumbled 180159




16" X 24" Paver
Tumbled 180168



12" X 24" Paver
Tumbled 180224



16" X 16" Paver
Tumbled 180158



12" X 12" Paver
Tumbled 180156



6" X 12" Paver
Tumbled 180155

travertine

arcadian



16" X 24" X 5cm
Modern Edge Coping
Tumbled 185129



16" X 24" X 5cm
Bullnose Coping
Tumbled 185128



12" X 24" X 5cm
Modern Edge Coping
Tumbled 185190



12" X 24" X 5cm
Bullnose Coping
Tumbled 185122



12" X 24" X 3cm
Bullnose Coping
Tumbled 185130



12" X 12" X 5cm
Bullnose Coping
Tumbled 185191



12" X 12" X 3cm
Bullnose Coping
Tumbled 185131




6" X 12" X 3cm
Bullnose Coping
Tumbled 185132

travertine

hun silver

Streams of silver and sand run across a taupe-grey ground, giving Hun Silver an unusual character—pastoral in texture, contemporary in palette, and quietly distinctive in any installation.



Versailles Pattern Field Tile
Brushed & Chiseled Edge
170184



18" X 18" Field Tile
Honed & Filled 170181



12" X 24" Field Tile
Honed & Filled 170408



12" X 12" Field Tile
Honed & Filled 170182



12" X 12" Field Tile
Tumbled 170185



6" X 6" Field Tile
Tumbled 170186



3" X 6" Field
Tile Tumbled
170409



4" X 4" Field Tile
Tumbled 170187



1" X 1" Square Mosaic
Tumbled 150170



2" X 2" Square Mosaic
Tumbled 150171



2" X 4" Brick Mosaic
Tumbled 150172



2" X 4" Brick Mosaic
Splitface 150351



3/4" X 12" Bullnose Trim
Honed 160162



7" X 20" 3D Interlocking Ledger
Honed 110008



7" X 20" 3D Interlocking Ledger
Splitface 110009



7" X 20" Interlocking Ledger
in Hun Silver and Levant
Splitface 110010

travertine

hun silver



6" X 24" Interlocking Ledger
Honed 110035



6" X 24" Interlocking Ledger
Splitface 110036



6" X 24" Interlocking Ledger in Levant and Hun Silver
Splitface 110028



6" X 24" Corner Interlocking Ledger
Honed 110035-O



6" X 24" Corner Interlocking Ledger
Splitface 110036-O



6" X 24" Corner 3D Interlocking Ledger
in Levant and Hun Silver
Splitface 110028-O



Versailles Pattern Paver
Tumbled 180149



Roman Pattern Paver
Tumbled 180173



24" X 24" Paver
Tumbled 180208



16" X 24" Paver
Tumbled 180148



16" X 16" Paver
Tumbled 180174



12" X 24" Paver
Tumbled 180220



12" X 12" Paver
Tumbled 180145



6" X 12" Paver
Tumbled 180142

travertine
hun
silver



16" X 24" X 5cm
Bullnose Coping
Tumbled 185140



16" X 24" X 5cm
Modern Edge Coping
Tumbled 185141




12" X 24" X 5cm
Bullnose Coping
Tumbled 185120




12" X 24" X 5cm
Modern Edge Coping
Tumbled 185142



12" X 24" X 3cm
Bullnose Coping
Tumbled 185143



12" X 12" X 5cm
Bullnose Coping
Tumbled 185144




12" X 12" X 3cm
Bullnose Coping
Tumbled 185145



6" X 12" X 5cm
Bullnose Coping
Tumbled 185195



6" X 12" X 3cm
Bullnose Coping
Tumbled 185146



4" X 12" X 5cm
Bullnose Coping
Tumbled 185147



4" X 12" X 3cm
Bullnose Coping
Tumbled 185196

travertine

meditera

A classic light beige travertine and one of the most enduring stones in our portfolio, Meditera is offered in an expansive program of sizes, shapes, finishes, and coordinating decorative pieces—built to serve everything from heritage restorations to clean-lined modern work.



Versailles Pattern Field Tile
Brushed & Chiseled Edge 170273



Versailles Pattern Field Tile
Tumbled 170274



24\" X 24\" Field Tile
Honed & Filled 170134



18\" X 18\" Field Tile
Honed & Filled 170135



16\" X 24\" Field Tile
Honed & Filled 170487



12\" X 24\" Field Tile
Honed & Filled 170226



12\" X 24\" Vein Cut Field Tile
Honed & Filled 170275



24\" X 24\" Field Tile
Tumbled 170411



18\" X 18\" Field Tile
Tumbled 170412



16\" X 24\" Field Tile
Tumbled 170413



16\" X 16\" Field Tile
Tumbled 170136



12\" X 12\" Field Tile
Tumbled 170137



6\" X 6\" Field Tile
Tumbled 170138



4\" X 4\" Field Tile
Tumbled 170139



6\" X 24\" Field Tile
Striated & Brushed 170373



2\" X 2\" Mosaic
Tumbled 150140



2\" Hexagon Mosaic
Honed 150352



2\" X 4\" Brick Mosaic
Splitface 150353



2\" X 12\" Single Ogee
Honed 160149



3/4\" X 12\" Bullnose
Honed 160147

travertine
meditera



7" X 20" Interlocking Ledger
Honed 110016



6" X 24" Interlocking Ledger
Honed 110038



6" X 24" Interlocking Ledger
Splitface 110039



6" X 24" Corner for Interlocking Ledger
Honed 110038-O



6" X 24" Corner for Interlocking Ledger
Splitface 110039-O



Versailles Pattern Paver
Tumbled 180114



Roman Pattern Paver
Tumbled 180176



24" X 24" Paver
Tumbled 180113



16" X 24" Paver
Tumbled 180112




16" X 16" Paver
Tumbled 180111



12" X 24" Paver
Tumbled 180225



12" X 12" Paver
Tumbled 180109



6" X 12" Paver
Tumbled 180106



travertine

meditera



16" X 24" X 5cm
Bullnose Coping
Tumbled 185124



16" X 24" X 5cm
Modern Edge Coping
Tumbled 185125



16" X 24" X 3cm
Bullnose Coping
Tumbled 185197



12" X 24" X 5cm
Bullnose Coping
Tumbled 185106



12" X 24" X 5cm
Modern Edge Coping
Tumbled 185126



12" X 24" X 3cm
Bullnose Coping
Tumbled 185151



12" X 12" X 5cm
Bullnose Coping
Tumbled 185152



12" X 12" X 3cm
Bullnose Coping
Tumbled 185153



6" X 12" X 3cm
Bullnose Coping
Tumbled 185154



4" X 12" X 5cm
Bullnose Coping
Tumbled 185155



4" X 12" X 3cm
Bullnose Coping
Tumbled 185198

travertine
noce
sephia

Noce Sephia layers warm brown tones across a dense, durable travertine. Offered in a full range of patterns and finishes, it carries equal weight in classical paving compositions and stripped-down modern surfaces.



18" X 18" Field Tile
Honed & Filled 170149




12" X 12" Field Tile
Tumbled 170152



6" X 6" Field Tile
Tumbled 170153



4" X 4" Field Tile
Tumbled 170154



travertine

noce sephia



2" X 2" Square Mosaic
Tumbled 150151



2" X 4" Brick Mosaic
Splitface 150356



3/4" X 12" Bullnose Trim
Honed 160152



2" X 12" Single Ogee Trim
Honed 160154



6" X 24" Interlocking Ledger
Splitface 110037



6" X 24" Corner Interlocking Ledger
Splitface 110037-O



Versailles Pattern Paver
Tumbled 180128



Roman Pattern Paver
Tumbled 180182



24" X 24" Paver
Tumbled 180209



16" X 24" Paver
Tumbled 180183



16" X 16" Paver
Tumbled 180127



12" X 12" Paver
Tumbled 180126



6" X 12" Paver
Tumbled 180125

travertine
noce
sephia



16" X 24" X 5cm
Bullnose Coping
Tumbled 185164



16" X 24" X 5cm
Modern Edge Coping
Tumbled 185165



12" X 24" X 5cm
Bullnose Coping
Tumbled 185166



12" X 24" X 5cm
Modern Edge Coping
Tumbled 185199



12" X 24" X 3cm
Bullnose Coping
Tumbled 185112



12" X 12" X 5cm
Bullnose Coping
Tumbled 185111



12" X 12" X 3cm
Bullnose Coping
Tumbled 185167



6" X 12" X 3cm
Bullnose Coping
Tumbled 185168

terrazzo


slimline terrazzo

Made in Turkey
Cement-Based
11mm


Slimline brings the timeless speckled language of terrazzo to a refined 11mm cement-based tile. Twelve curated colorways—from the cool tones of Sicilian and Parisian to the soft warmth of Lisbon—give designers a full palette of one-of-a-kind, pattern-rich surfaces.



24" X 24" Field Tile
Venetian Polished 170454



24" X 24" Field Tile
Victorian Polished 170458



24" X 24" Field Tile
Alaskan Polished 170460



24" X 24" Field Tile
Indonesian Polished 170461



24" X 24" Field Tile
Moroccan Polished 170462



24" X 24" Field Tile
Parisian Polished 170455*

SPECIAL ORDER



24" X 24" Field Tile
Georgian Polished 170456*




24" X 24" Field Tile
Sicilian Polished 170457*



24" X 24" Field Tile
Mediterranean Polished 170463*



24" X 24" Field Tile
Lisbon Polished 170464*



24" X 24" Field Tile
Brazilian Polished 170465*



24" X 24" Field Tile
Belgian Polished 170466*

**Additional size and finishes are available as special order. Minimum Order Quantity for all special orders is 2,500 sqft.*



baywood

Baywood translates the warmth and grain of natural wood into a 9mm rectified color-body porcelain made in Spain—three distinctive patterns across two colorways, engineered to perform where real wood cannot.

Made in Spain
Rectified
Color-Body Porcelain
9mm

natural



24" X 48" Field Tile
Hermosa 270574



24" X 48" Field Tile
Redondo 270578



24" X 48" Field Tile
Manhattan 270576

silver



24" X 48" Field Tile
Hermosa 270575



24" X 48" Field Tile
Redondo 270579



24" X 48" Field Tile
Manhattan 270577

Made in Spain
Rectified
Color-Body Porcelain
9mm

baywood



TECHNICAL DATA

FACES  6 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	≥ 0.42 ID	N/A	Resistant	N/A	N/A	N/A	N/A	V4	1/8"

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I*,**	I/E	X	I/E	I/E

*Light Commercial Only
**Interior Dry Only

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.



bespoke


Bespoke draws on the quiet language of woven linen, translated into a 9mm color-body porcelain made in the USA. Its monochromatic palette and subtle textile texture move easily between contemporary and classically restrained interiors.

Made in the USA
Pressed
Color-Body Porcelain
9mm


staccato



12" X 24" Field Tile
Natural 270312



2" X 2" Square Mosaic
Natural 250312-2x2




3" X 12" Bullnose Trim
Natural 260312

silver



12" X 24" Field Tile
Natural 270313



2" X 2" Square Mosaic
Natural 250313-2x2




3" X 12" Bullnose Trim
Natural 260313

desert



12" X 24" Field Tile
Natural 270314



2" X 2" Square Mosaic
Natural 250314-2x2




3" X 12" Bullnose Trim
Natural 260314

stone



12" X 24" Field Tile
Natural 270315



2" X 2" Square Mosaic
Natural 250315-2x2



3" X 12" Bullnose Trim
Natural 260315



Made in the USA
Pressed
Color-Body Porcelain
9mm

bespoke

TECHNICAL DATA

FACES  5 12" X 24"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 IW+	N/A	Resistant	7 Mohs	≥ 465 lbf	Resistant	Resistant	V1	3/16"

Chemical and stain resistance tested to ASTM C650 / C1378.
Breaking strength tested to ASTM C648.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I	I/E	I	I/E	I/E
Commercial	I	I/E	I	I/E	I/E

I - Interior Only
I/E - Interior & Exterior

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



cascade

Cascade brings dimensional 3D linework to a 10mm rectified color-body porcelain made in Spain. Parallel grooves run the length of the 24" edge, casting subtle shadow and rhythm across the surface—offered in white and dark grey, designed for feature walls, vertical applications, and architectural compositions where light is part of the material.

Made in Spain
Rectified
Color-Body Porcelain
10mm



24" X 48" Field Tile
3D Matte 270580



24" X 48" Field Tile
3D Matte 270581

TECHNICAL DATA

FACES  12 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	N/A	4	Resistant	N/A	≥ 1300 N	N/A	min 3	V3	1/8"

Breaking strength meets EN 14411. Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Made in Spain
Rectified
Color-Body Porcelain
10mm

Chroma is a monochromatic study in white, black, and the greys between—rendered in a 10mm rectified color-body porcelain made in Spain. Its unusual 6 7/16" X 20 3/8" format is offered in a flat finish and two distinct 3D structures, giving designers a single tonal language across smooth, textural, and dimensional surfaces.

chroma



white



6 7/16" X 20 3/8" Field Tile
3D Matte 270582



6 7/16" X 20 3/8" Field Tile
Layers 3D Matte 270586



6 7/16" X 20 3/8" Field Tile
Tiers 3D Matte 270590

silver



6 7/16" X 20 3/8" Field Tile
3D Matte 270583



6 7/16" X 20 3/8" Field Tile
Layers 3D Matte 270587



6 7/16" X 20 3/8" Field Tile
Tiers 3D Matte 270591

graphite



6 7/16" X 20 3/8" Field Tile
3D Matte 270584



6 7/16" X 20 3/8" Field Tile
Layers 3D Matte 270588



6 7/16" X 20 3/8" Field Tile
Tiers 3D Matte 270592

black



6 7/16" X 20 3/8" Field Tile
3D Matte 270585



6 7/16" X 20 3/8" Field Tile
Layers 3D Matte 270589

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	≥ 0.42 R9 - ID	3	Resistant	N/A	>1300 N	N/A	5	V1	1/8"

Breaking strength meets EN 14411.

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

*Recommended for Dry Applications Only

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.



eastside

Eastside layers soft, atmospheric color across a 9mm rectified color-body porcelain made in Italy. Its subtle stucco-like surface, rendered through high-definition digital printing, brings a quiet sense of depth and movement to contemporary interiors.

Made in Italy
Color-Body Porcelain
Rectified
9mm

salt



32" X 32" Field Tile
Natural 270288
Outdoor 270292



16" X 32" Field Tile
Natural 270113



2" X 2" Square Mosaic
Natural 250113-2x2



3 1/8" X 32" Bullnose
260109

clay



32" X 32" Field Tile
Natural 270289



16" X 32" Field Tile
Natural 270114



2" X 2" Square Mosaic
Natural 250114-2x2




3 1/8" X 32" Bullnose
260110

Made in Italy
Color-Body Porcelain
Rectified
9mm

eastside



rust



32" X 32" Field Tile
Natural 270291
Outdoor 270295


ash




16" X 32" Field Tile
Natural 270115



16" X 32" Field Tile
Natural 270116



2" X 2" Square Mosaic
Natural 250115-2x2



2" X 2" Square Mosaic
Natural 250116-2x2



3 1/8" X 32" Bullnose
260111



3 1/8" X 32" Bullnose
260112



eastside

Made in Italy
Color-Body Porcelain
Rectified
9mm

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42 R10 (Natural) - IW* R11 (Outdoor) - EW*	3*	Resistant*	N/A	N/A	N/A	3*	V2	3/16"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E*	I/E	I/E*	I/E	X
Commercial	X	I/E	I/E*	I/E	X

*Light Residential Only, Only R11 Outdoor Tiles Are Recommended for Barefoot/Wet Zones and Exterior Floors

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



Made in the USA
Color-Body Porcelain
Rectified
9mm


eureka

Eureka is built as a foundation—a minimalist, monochromatic solid in a smooth matte finish, made in the USA in 9mm rectified color-body porcelain. Available in field tile, mosaics, custom cuts, and trims, it is engineered to anchor mixed-material compositions or stand on its own.


white



12" X 24" Field Tile
Natural 270551



2" X 2" Square Mosaic
Natural 250551-2x2



3" X 24" Surface
Bullnose
Natural 260551



6" X 12" Cove Base
Natural 260551-CVBASE




6" X 1" Cove Base
Natural 260551-CVBASE-CR

light gray



12" X 24" Field Tile
Natural 270552



2" X 2" Square Mosaic
Natural 250552-2x2



3" X 24" Surface
Bullnose
Natural 260552



6" X 12" Cove Base
Natural 260512-CVBASE




6" X 1" Cove Base
Natural 260512-CVBASE-CR

dark gray



12" X 24" Field Tile
Natural 270553



2" X 2" Square Mosaic
Natural 250553-2x2



3" X 24" Surface
Bullnose
Natural 260553



6" X 12" Cove Base
Natural 260553-CVBASE




6" X 1" Cove Base
Natural 260553-CVBASE-CR

tobacco



12" X 24" Field Tile
Natural 270554



2" X 2" Square Mosaic
Natural 250554-2x2



3" X 24" Surface
Bullnose
Natural 260554



6" X 12" Cove Base
Natural 260554-CVBASE




6" X 1" Cove Base
Natural 260554-CVBASE-CR

black



12" X 24" Field Tile
Natural 270555



2" X 2" Square Mosaic
Natural 250555-2x2



3" X 24" Surface
Bullnose
Natural 260555



6" X 12" Cove Base
Natural 260555-CVBASE



6" X 1" Cove Base
Natural 260555-CVBASE-CR

Made in the USA
Color-Body Porcelain
Rectified
9mm

eureka

TECHNICAL DATA

FACES  16 12" X 24"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 IW+	N/A	Resistant	7 Mohs	≥ 450 lbf	Resistant	Resistant	V2	1/8"

Chemical and stain resistance tested to ASTM C650 / C1378.
Breaking strength tested to ASTM C648.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I	I/E	I	I/E	I/E
Commercial	I	I/E	I	I/E	I/E

I - Interior Only
I/E - Interior & Exterior

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.






galerie

Galerie reimagines natural color as a curated statement, pairing the serene, gallery-smooth texture of flat tiles with the light-catching relief of 3D tiles. Two expressions of one refined neutral — flat and dimensional — composed for spaces meant to be admired.

Made in Spain
White Body Wall Tile
Rectified
9.8 - 10.4mm



12" X 36" Luma Flat Wall Tile
White 270675



12" X 36" Sylva Flat Wall Tile
White 270677



12" X 36" Luma 3D Concept Wall Tile
White 270676



12" X 36" Sylva 3D Concept Wall Tile
White 270678



Made in Spain
White Body Wall Tile
Rectified
9.8 - 10.4mm

galerie

TECHNICAL DATA

FACES 1 Luma Flat | 1 Luma 3D | 15 Sylva Flat | 3 Sylva 3D

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
>10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	N/A	V2 (Luma) V3 (Sylva)	1/8"

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
X - Not Suitable



gemstone

Gemstone renders the depth and movement of natural marble in a 9mm rectified color-body porcelain made in Italy. Offered in 12" X 24" and 24" X 48" formats and finished in both matte and polished, the collection delivers marble's visual richness with porcelain's performance and predictability.

Made in Italy
Color-Body Porcelain
Rectified
9mm


white



24" X 48" Field Tile
Matte 270367
Polished 270370



12" X 24" Field Tile
Matte 270367
Polished 270364



2" X 2" Square Mosaic
Matte 250367-2X2
Polished 250370-2X2



3 1/2" X 24" Bullnose Trim
Matte 260367
Polished 260370

Made in Italy
Color-Body Porcelain
Rectified
9mm

gemstone

silver



24" X 48" Field Tile
Matte 270368
Polished 270371

taupe



24" X 48" Field Tile
Matte 270369
Polished 270372



12" X 24" Field Tile
Matte 270362
Polished 270365



12" X 24" Field Tile
Matte 270363
Polished 270366



2" X 2" Square Mosaic
Matte 250368-2X2
Polished 250371-2X2



2" X 2" Square Mosaic
Matte 250369-2X2
Polished 250372-2X2



3 1/2" X 24" Bullnose Trim
Matte 260368
Polished 260371



3 1/2" X 24" Bullnose Trim
Matte 260369
Polished 260372



TECHNICAL DATA

FACES  **32** 12" X 24" |  **8** 24" X 48" White, Silver |  **10** 24" X 48" Taupe

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42* R10* - IW**	4**	Resistant**	N/A	N/A	N/A	N/A	V3	1/8"

*Matte Only

**Except for Bullnose Trim

APPLICATIONS -FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Matte Only, Except for Barefoot/Wet Zones

APPLICATIONS -BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



Made in Italy
Color-Body Porcelain
Rectified
10.5mm

heritage

Heritage is a hand-scraped wood-look porcelain made in Italy in 10.5mm rectified color-body—engineered to carry indoor warmth into outdoor environments. Field tiles pair with matching mosaics for layered, tonally unified installations.

white



10' X 40' Field Tile
Natural 270101



6 1/2' X 40' Field Tile
Outdoor 270223



3' X 40' Bullnose Trim
Natural 260101



2' X 2' Square Mosaic
Natural 250101-2X2
Outdoor 250223-2X2


grey



10' X 40' Field Tile
Natural 270102



3' X 40' Bullnose Trim
Natural 260102



2' X 2' Square Mosaic
Natural 250102-2X2

taupe




10' X 40' Field Tile
Natural 270103



6 1/2' X 40' Field Tile
Outdoor 270225



3' X 40' Bullnose
Trim Natural 260103



2' X 2' Square Mosaic
Natural 250103-2X2
Outdoor 250225-2X2

brown




10' X 40' Field Tile
Natural 270104



6 1/2' X 40' Field Tile
Outdoor 270226



3' X 40' Bullnose Trim
Natural 260104



2' X 2' Square Mosaic
Natural 250104-2X2
Outdoor 250226-2X2



heritage

Made in Italy
Color-Body Porcelain
Rectified
10.5mm

TECHNICAL DATA

FACES  24 10" X 40" |  36 6½" X 40"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.60 R10 (Natural) - IW* R11 (Outdoor) - EW*	5*	Resistant*	N/A	N/A	N/A	min 3	V2*	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E*	I/E	I/E*	I/E	I/E
Commercial	I/E*	I/E	I/E*	I/E	I/E

*Only R11 Outdoor Tiles Are Recommended for Barefoot/Wet Zones and Exterior Floors

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than ⅓ (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum ⅓ offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Italy
Color-Body Porcelain
Rectified
10.5mm

impression


Impression draws on the soft, fibrous character of Japanese washi paper, translated into a 10.5mm rectified color-body porcelain made in Italy. Offered in a natural finish and a distinctive polished-and-natural pattern, the generous 24" x 48" format brings the quiet texture of handmade paper to architectural-scale walls and floors.



24" X 48" Field Tile
Bone Natural 270634



24" X 48" Field Tile
Bone Bamboo Lappato 270635



2" X 2" Square Mosaic
Natural 250634-2x2



3" X 24" Surface
Bullnose
Natural 260634



TECHNICAL DATA

FACES  8 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42* R10* - IV**	4**	Resistant	N/A	N/A	N/A	3	V1	1/8"

* Natural Finish Only

** Except for Bullnose Trim

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Natural Finish Only, Except for Barefoot/Wet Zones

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable


Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

invisible gold

Invisible Gold reproduces a delicate, refined marble in 9mm glazed porcelain made in Italy. A white ground threaded with taupe and grey veining is rendered through Real Surface Technology, giving the tile the visual depth of quarried stone in a fully engineered format.

Made in Italy
Glazed Porcelain
Rectified
9mm
Real Surface
Technology (RST)



24" X 48" Field Tile
RST Matte 270567



24" X 48" Field Tile
Rigato 270568



2" X 2" Square Mosaic
RST Matte 250567-2x2



3½" X 24" Surface Bullnose
RST Matte 260567



2" X 2" Square Mosaic
Rigato 250568-2x2



TECHNICAL DATA

FACES  20 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 R10 (Matte) - IW* R11 (Rigato) - EW*	N/A	Resistant*	N/A	N/A	N/A	N/A	V4	1/8"

*Except for Bullnose Trim

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E*	I/E	I/E*	I/E	I/E
Commercial	I/E*	I/E	I/E*	I/E	I/E

*Rigato Finish Recommended for Barefoot/Wet Zones and Exterior Applications

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than ⅓ (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum ⅓ offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Spain
Extruded Porcelain
Anti-Bacterial
11mm

memory

Memory combines the natural, hand-touched effect of traditional extrusion with the precision of modern rectified production. Made in Spain in 11mm anti-bacterial porcelain, with R12 anti-slip ratings in 7" x 7", 7" x 14", and 14" x 14" formats—built for wet zones, transitional spaces, and demanding commercial floors.

opal



14" X 14" Field Tile
Outdoor 270474



7" X 14" Field Tile
Outdoor 270473



7" X 7" Field Tile
Outdoor 270472



Roman Pattern Field Tile
Outdoor 270475



12½" X 14"
monoblock coping
with 1" drop
275474

sandy



14" X 14" Field Tile
Outdoor 270478



7" X 14" Field Tile
Outdoor 270477



7" X 7" Field Tile
Outdoor 270476



Roman Pattern Field Tile
Outdoor 270479



12½" X 14"
monoblock coping
with 1" drop
275478



memory

Made in Spain
Extruded Porcelain
Anti-Bacterial
11mm

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	> 0.42 R11 - EW	4	Resistant	N/A	N/A	N/A	5	V2	1/4"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E*	I/E	I/E	I/E	I/E
Commercial	I/E*	I/E	I/E	I/E	I/E

*Heavy Residential and Medium Commercial Only

I - Interior Only

I/E - Interior & Exterior

Made in the USA
Color-Body Porcelain
Pressed
9mm

midtown

Midtown reinterprets the patina of oxidized metal in a 9mm pressed color-body porcelain made in the USA—an industrial vocabulary translated for floors and walls in lofts, hospitality, and adaptive-reuse interiors.

alumina



12" X 24" Field Tile
Natural 270547



2" X 2" Square Mosaic
Natural 250547-2x2




3" X 24" Surface
Bullnose
Natural 260547

cast nickel



12" X 24" Field Tile
Natural 270548



2" X 2" Square Mosaic
Natural 250548-2x2



3" X 24" Surface
Bullnose
Natural 260548

graphite



12" X 24" Field Tile
Natural 270549



2" X 2" Square Mosaic
Natural 250549-2x2




3" X 24" Surface
Bullnose
Natural 260549

iron oxide



12" X 24" Field Tile
Natural 270550



2" X 2" Square Mosaic
Natural 250550-2x2



3" X 24" Surface
Bullnose
Natural 260550





midtown

Made in the USA
Color-Body Porcelain
Pressed
9mm

TECHNICAL DATA

FACES  20 12" X 24"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	> 0.42 IW	N/A	Resistant	7 Mohs	≥ 400 lbf	Resistant	Resistant	V3	3/16"

Chemical and stain resistance tested to ASTM C650 / C1378.
Breaking strength tested to ASTM C648.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Except for Barefoot/Wet Zones

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Italy
Glazed Porcelain
Rectified
9mm

nero marquina


Nero Marquina translates one of Spain's most iconic black marbles into a 9mm rectified glazed porcelain made in Italy. The signature white veining cuts dramatically across a true black ground—engineered to deliver the marble's graphic presence in a fully consistent, hard-wearing format.



24" X 48" Field Tile
Polished 270572



12" X 24" Field Tile
Polished 270573



2" X 2" Square Mosaic
Polished 250573-2x2



3/2" X 24" Bullnose Trim
Polished 260573



nero marquina

Made in Italy
Glazed Porcelain
Rectified
9mm

TECHNICAL DATA

FACES  56 12" X 24" |  24 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	N/A	3*	Resistant	N/A	N/A	N/A	min 3*	V2	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



Made in the USA
Glazed Porcelain
Rectified
9mm

noble

Noble draws the language of classical marble into a 9mm rectified glazed porcelain made in the USA. Three polished colorways run from the warm cream and gold of Grace, through the cool linear grey of Beauty, to the clouded brown of Charm — enough range to carry a room alone or to set off adjacent stone. Offered in 12" X 24" field tile with coordinating mosaic and bullnose, and suited to vertical work: feature walls, wainscots, and wet-area walls.

grace



12" X 24" Field Tile
Polished 270309



2" X 2" Square Mosaic
Polished 250309-2x2



3" X 12" Bullnose Trim
Polished 260309

beauty



12" X 24" Field Tile
Polished 270310



2" X 2" Square Mosaic
Polished 250310-2x2



3" X 12" Bullnose Trim
Polished 260310


charm



12" X 24" Field Tile
Polished 270311



2" X 2" Square Mosaic
Polished 250311-2x2



3" X 12" Bullnose Trim
Polished 260311

TECHNICAL DATA

FACES  **28** Grace 12" X 24" |  **30** Beauty 12" X 24" |  **44** Charm 12" X 24"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	N/A	N/A	Resistant	6 Mohs	≥ 450 lbf	Resistant	Resistant	V3	1/8"

Chemical and stain resistance tested to ASTM C650 / C1378.
Breaking strength tested to ASTM C648.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Italy
Color-Body Porcelain
Rectified
9mm

petravera

Petravera draws on a distinctive limestone marked by grains of varying scale—rendered in 9mm rectified porcelain made in Italy. The Terrafina variant offers a quieter expression, while bolder counterpart Greto delivers greater movement, depth and texture.

Terrafina

light



24" X 48" Field Tile
Natural 270668
Outdoor 270670

taupe



24" X 48" Field Tile
Natural 270669
Outdoor 270671

Greto



24" X 48" Field Tile
Lappato 270672




24" X 48" Field Tile
Outdoor 270673




2" X 2" Square Mosaic
Terrafina
Natural 250668-2x2
Outdoor 250670-2x2




2" X 2" Square Mosaic
Greto
Lappato 250672-2x2



2" X 2" Square Mosaic
Terrafina
Natural 250669-2x2
Outdoor 250671-2x2



2" X 2" Square Mosaic
Greto
Lappato 250673-2x2



3 1/2" X 24" Bullnose Trim
Terrafina
Natural 260668



3 1/2" X 24" Bullnose Trim
Terrafina
Natural 260669



TECHNICAL DATA

FACES  28 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.1%*	≥ 0.42 R9 (Lappato) - ID R10 (Natural) - IW* R11 (Outdoor) - EW	N/A	Resistant*	N/A	N/A	N/A	min 3	V3	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS -FIELD TILES-LAPPATO & NATURAL

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Lappato Finish Recommended for Dry Zones Only
Natural Finish Recommended for All Interior Floors Except for Barefoot/Wet Zones

APPLICATIONS -FIELD TILES-OUTDOOR

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E	I/E	I/E	I/E	I/E

APPLICATIONS -BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Italy
Porcelain
Rectified
9.5mm+2cm

pietrasanta

Pietrasanta brings the timeless language of Italian marble to a contemporary porcelain program. Carrara-inspired reproductions are offered in both 9.5mm and 2cm thicknesses across multiple finishes—engineered to serve upscale residential interiors and exterior installations within a single material family.

bianco

ivory



24" X 48" Porcelain Field Tile
Natural 270625
Polished 270628




24" X 48" Porcelain Field Tile
Natural 270626
Polished 270629



24" X 48" Porcelain Field Tile
3D Fluted Natural 270631



24" X 48" Porcelain Field Tile
3D Fluted Natural 270632



2" X 2" Square Mosaic
Natural 250625-2x2
Outdoor 250628-2x2



3 1/2" X 24" Bullnose Trim
Natural 260625
Outdoor 250628



2" X 2" Square Mosaic
Natural 250626-2x2
Outdoor 250629-2x2



3 1/2" X 24" Bullnose Trim
Natural 260626
Outdoor 250629



24" X 48" Porcelain Paver
Outdoor R11 280801



24" X 48" Porcelain Paver
Outdoor R11 280802



12" X 48" Unglazed Bullnose Coping
Outdoor R11 285801



12" X 48" L-Shape Coping
Outdoor 285801-L



12" X 48" Unglazed Bullnose Coping
Outdoor R11 285802



12" X 48" L-Shape Coping
Outdoor 285802-L




pietrasanta

Made in Italy
Porcelain
Rectified
9.5mm + 2cm


grigio



24" X 48" Porcelain Field Tile
Natural 270627
Polished 270630



24" X 48" Porcelain Field Tile
3D Fluted Natural 270633



2" X 2" Square Mosaic
Natural 250627-2x2
Outdoor 250630-2x2



3½" X 24" Bullnose Trim
Natural 260627
Outdoor 250630



24" X 48" Porcelain Paver
Outdoor R11 280803



12" X 48" Unglazed Bullnose Coping*
Outdoor R11 285803



12" X 48" L-Shape Coping*
Outdoor 285803-L

* All copings are made-to-order in California (1-5 weeks).

TECHNICAL DATA - FIELD TILES

FACES  10 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.1%*	≥ 0.50 (Natural Only) R10* (Natural Only) IW* (Natural Only)	min 3	Resistant*	N/A	N/A	N/A	min 3*	V2 (Bianco & Grigio) V3 (Ivory)	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

** Only Natural Finish is Recommended For Floor Applications, Except for Barefoot/Wet Zones

APPLICATIONS - 9MM BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

TECHNICAL DATA - PAVERS

FACES  10 24" X 48" 2cm

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.1%	≥ 0.55 R11 - EW	min 3	Resistant	N/A	≥ 10,000 N	Resistant	min 3	V2 (Bianco & Grigio) V3 (Ivory)	3/16" † 1/4" ‡

† Installed on Concrete Base
‡ Installed on Sand or Pedestal
Breaking strength tested to EN ISO 10545-4.
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - PAVERS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E*	I/E	I/E	I/E	I/E

*Recommended for All Residential and Light-Medium Commercial Only

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.


All copings are made-to-order in California (1-5 weeks).



silk

Made in Spain
White Body Wall Tile
Rectified
10.5mm

Texture, depth, elegance. Repeat. Silk is a rectified large-format white-body ceramic made in Spain—a quiet, subtly textured wall tile that rewards attention without demanding it.



16" X 48" Oh La La White Flat
Silk 270251



16" X 48" Toll White 3D
Silk 270254

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	5	V1	1/8"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.





silky stone

Silky Stone renders the soft, sedimentary character of natural limestone in a 9mm and 2cm rectified color-body porcelain made in Italy. The result is a quietly sophisticated surface that combines the visual integrity of stone with the predictability modern architecture requires.

Made in Italy
Color-Body Porcelain
Rectified
9mm+2cm

light




24" X 48" Field Tile
Natural 270395
Outdoor R11 270674



24" X 48" Field Tile
Rigato 270397



24" X 24" Field Tile
Natural 270399



3 1/2" X 24" Bullnose
Natural 260395



2" X 2" Square Mosaic
Natural 250395-2X2
Outdoor 250674-2X2



2" X 2" Square Mosaic
Rigato 250397-2X2

greige




24" X 48" Field Tile
Natural 270396



24" X 48" Field Tile
Rigato 270398



24" X 24" Field Tile
Natural 270400



3 1/2" X 24" Bullnose
Natural 260396



2" X 2" Square Mosaic
Natural 250396-2X2



2" X 2" Square Mosaic
Rigato 250398-2X2

Made in Italy
Color-Body Porcelain
Rectified
9mm+2cm

silky stone



24" X 24" 2cm Paver
Outdoor 280241



24" X 48" 2cm Paver
Outdoor 280244



12" X 24" 2cm Bullnose Coping
Unglazed
Outdoor 285241



12" X 48" 2cm Bullnose Coping
Unglazed
Outdoor 285244



12" X 24" L-Shaped Coping
Mitered 2" Drop
Outdoor 285241-L



12" X 48" L-Shaped Coping
Mitered 2" Drop
Outdoor 285244-L

silky stone

Made in Italy
Color-Body Porcelain
Rectified
9mm+2cm

TECHNICAL DATA-FIELD TILES

FACES  55 24" X 24" |  40 24" X 48" |  40 36" X 36" |  30 48" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42 R10 (Natural)- IW* ≥ 0.55 R11 (Rigato & Outdoor) - EW	5*	Resistant*	N/A	N/A	N/A	min 3	V2	1/8" (Field Tiles) 3/16" (Pavers) [†] 1/4" (Pavers) [‡]
*Except for Bullnose Trim [†] Installed on Concrete Base [‡] Installed on Sand or Pedestal Stain resistance tested to EN ISO 10545-14.									

APPLICATIONS -FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E**	I/E	I/E*	I/E	I/E
Commercial	I/E**	I/E	I/E*	I/E	I/E

**R11 Finish Recommended For Exterior Use and Barefoot/Wet Zones

APPLICATIONS -BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

TECHNICAL DATA-PAVERS

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	> 0.42 R11 - EW	3	Resistant	7 Mohs	2800 lbf	Resistant	Resistant	V2	3/16" [†] 1/4" [‡]
[†] Installed on Concrete Base [‡] Installed on Sand or Pedestal									

APPLICATIONS -PAVERS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E***	I/E	I/E	I/E	I/E

***Light Commercial Only

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.





stack

Stack reimagines the classic 3" x 12" stacked tile as a single 12" x 24" porcelain panel—made in Italy in 9mm color-body with a dressed surface. The format installs as one tile but reads as eight, with rich color variation that captures the character of hand-painted tile. Offered in white, grey, green, and blue.

Made in Italy
Color-Body Porcelain
Pressed
9mm

white



12" X 24" Field Tile
Glossy 270593

grey



12" X 24" Field Tile
Glossy 270594

green



12" X 24" Field Tile
Glossy 270595

blue



12" X 24" Field Tile
Glossy 270596

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 R9 - ID	N/A	Resistant	N/A	≥ 1300N	N/A	min 3	V3	3/16"

Breaking strength meets EN 14411.

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

*Interior Dry Applications Only

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Made in Portugal |
Double-Loaded
Through-Body Porcelain
Rectified
10mm-10.5mm

sublime

Sublime is a double-loaded through-body porcelain made in Portugal in 10–10.5mm rectified format—engineered for the dense traffic of commercial floors without compromising on the soft, considered aesthetic Pera Tile is known for.




12" X 24" Field Tile
10.5mm Natural 270322



12" X 24" Field Tile
10mm Polished 270323



2" X 2" Square Mosaic
Natural 250322-2x2




2" X 2" Square Mosaic
Polished 250323-2x2



3" X 12" Surface
Bullnose
Natural 260322-3x12



3" X 12" Surface
Bullnose
Polished 260323-3x12



6" X 12" Cove Base
Natural 260322-CVBASE



6" X 1" Cove Base Corner
Natural 260322-CVBASE-CR

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 (Natural Only) Natural - IW Polished - ID	N/A	Resistant	7 Mohs	≥ 510 lbf	N/A	min 3	V1	1/8"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Polished Recommended for Interior Dry Applications Only
Natural Recommended for Interior Floors Except for Barefoot/Wet Zones

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

upstone

Upstone draws its palette from the earth—the warm tones of desert plateaus and the cooler surface of weathered rock—translated into a 9mm rectified color-body porcelain made in Italy. A stone-look program in which the visual qualities of natural material meet the dimensional precision of engineered porcelain.

Made in Italy
Color-Body Porcelain
Rectified
9mm

duke bianco



24" X 48" Field Tile
Natural 270494



24" X 48" Field Tile
Bush-Hammered 270502



24" X 48" Field Tile
Rigato 270498



12" X 24" Field Tile
Natural 270490



2" X 2" Mosaic
Natural 250490-2X2



2" X 2" Mosaic
Rigato 250498-2X2



2 7/8" X 24" Bullnose Trim
Natural 260490

london grigio



24" X 48" Field Tile
Natural 270495



24" X 48" Field Tile
Bush-Hammered 270503



24" X 48" Field Tile
Rigato 270499



12" X 24" Field Tile
Natural 270491



2" X 2" Mosaic
Natural 250491-2X2



2" X 2" Mosaic
Rigato 250499-2X2



2 7/8" X 24" Bullnose Trim
Natural 260491

jura beige



24" X 48" Field Tile
Natural 270496



24" X 48" Field Tile
Bush-Hammered 270504



24" X 48" Field Tile
Rigato 270500




12" X 24" Field Tile
Natural 270492



2 7/8" X 24" Bullnose Trim
Natural 260492



2" X 2" Mosaic
Natural 250492-2X2




2" X 2" Mosaic
Rigato 250500-2X2

mustang nero



24" X 48" Field Tile
Natural 270497



24" X 48" Field Tile
Bush-Hammered 270505*




24" X 48" Field Tile
Rigato 270501




12" X 24" Field Tile
Natural 270493



2 7/8" X 24" Bullnose Trim
Natural 260493



2" X 2" Mosaic
Natural 250493-2X2



2" X 2" Mosaic
Rigato 250501-2X2

*Special Order (10-14 weeks)



TECHNICAL DATA

FACES  **110** 12" X 24" |  **40** 24" X 48" |  **40** 36" X 36" |  **40** 24" X 48" 2cm paver

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42 R10 - IW* (Natural) R11 - EW (Bush-Hammered & Rigato)	5*	Resistant*	N/A	N/A	N/A	min 3	V2	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E**	I/E	I/E**	I/E	I/E
Commercial	I/E**	I/E	I/E**	I/E	I/E

**R11 Finish Is Recommended For Exterior Applications and Barefoot/Wet Zones

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



urbana

Urbana renders the calm, unfinished language of cement in a 10mm reverse-pressed color-body porcelain made in Italy. A palette of layered greys and beiges suits modern, technical interiors as well as hospitality and adaptive-reuse projects.

Made in Italy
Color-Body Porcelain
Reverse Pressed
10mm

beige



24" X 24" Field Tile
Natural 270109



2" X 2" Square Mosaic
Natural 250105-2X2



3 5/8" X 24" Glazed Bullnose Trim
Natural 260105

greige



24" X 24" Field Tile
Natural 270110



12" X 24" Field Tile
Natural 270106



2" X 2" Square Mosaic
Natural 250106-2X2



3 5/8" X 24" Glazed Bullnose Trim
Natural 260106

grigio



24" X 24" Field Tile
Natural 270111



2" X 2" Square Mosaic
Natural 250107-2X2



3 5/8" X 24" Glazed Bullnose Trim
Natural 260107

antracite



12" X 24" Field Tile
Natural 270108



2" X 2" Square Mosaic
Natural 250108-2X2



3 5/8" X 24" Glazed Bullnose Trim
Natural 260108

TECHNICAL DATA

FACES 30 12" X 24" | 15 24" X 24"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.1%*	≥ 0.42 R10 - IW*	4*	Resistant*	N/A	N/A	N/A	min 3	V4	3/16"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

**Not Recommended for Barefoot/Wet Zones

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

veneto

Veneto reproduces the linear movement of vein-cut Italian travertine in a 9mm rectified color-body porcelain made in Italy. Real Surface Technology renders the stone's grain with striking depth and realism across both 12" x 24" and 24" x 48" formats, with the larger size also offered in a polished finish—engineered to deliver the language of travertine in a fully consistent, performance-graded surface.

Made in Italy
Color-Body Porcelain
Real Surface Technology (RST)
Rectified
9mm

light



24" X 48" Field Tile
Matte 270561
Polished 270564



12" X 24" Field Tile
Matte 270569



2" X 2" Square Mosaic
Matte 250569-2x2
Polished 250564-2x2



3½" X 24" Bullnose Trim
Matte 260569
Polished 260564

tuscany



24" X 48" Field Tile
Matte 270563
Polished 270566



12" X 24" Field Tile
Matte 270571



2" X 2" Square Mosaic
Matte 250571-2x2
Polished 250566-2x2



3½" X 24" Bullnose Trim
Matte 260571
Polished 260566

Made in Italy
Color-Body Porcelain
Real Surface Technology (RST)
Rectified
9mm

veneto

silver



24" X 48" Field Tile
Matte 270562
Polished 270565



12" X 24" Field Tile
Matte 270570



2" X 2" Square Mosaic
Matte 250570-2x2
Polished 250565-2x2



3½" X 24" Bullnose Trim
Matte 260570
Polished 260565



TECHNICAL DATA

FACES  76 12" X 24" |  19 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42 (Matte) R10 - IW* (Matte)	min 3*	Resistant*	N/A	> 1300N	N/A	min 3*	V3	1/8"

*Except for Bullnose Trim
 Breaking strength meets EN 14411.
 Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

** Only Matte Finish Recommended for Residential and Light Commercial Floors Except for Barefoot/Wet Zones

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
 I/E - Interior & Exterior
 X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



Made in Italy
Color-Body Porcelain
Rectified
10mm


vintage wood

Vintage Wood captures the reclaimed, lived-in character of aged timber in a 10mm rectified color-body porcelain made in Italy. Warm, contemporary colorways offer designers the authenticity of true reclaimed wood with the dimensional consistency and performance of porcelain.

white



8" x 48" Field Tile
Natural 260220



2" X 2" Square Mosaic
Natural 250220-2X2




3 1/2" X 48" Unglazed Bullnose
Natural 260220



3 1/2" X 24" Glazed Bullnose
Natural 260220-24G

vintage wood

Made in Italy
Color-Body Porcelain
Rectified
10mm



2" X 2" Square Mosaic
Natural 250221-2X2

pearl




8" x 48" Field Tile
Natural 270221



3 1/2" X 48" Unglazed Bullnose
Natural 260221



3 1/2" X 24" Glazed Bullnose
Natural 260221-24G



2" X 2" Square Mosaic
Natural 250222-2X2

black



8" x 48" Field Tile
Natural 270222



3 1/2" X 48" Unglazed Bullnose
Natural 260222



3 1/2" X 24" Glazed Bullnose
Natural 260222-24G

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	≥ 0.42 R9 - ID*	4*	Resistant*	N/A	N/A	N/A	4*	V3	1/8"

*Except for Glazed Bullnose
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES & UNGLAZED BULLNOSE

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

**Only Recommended for Dry Zones on Residential and Light-Medium Commercial Floors

APPLICATIONS - GLAZED BULLNOSE

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

arc

Arc is an 8.5mm pressed glazed porcelain made in Spain in an unusual 4½" x 9" format, defined by a reverse-fluted concave 3D texture that catches and softens light across the surface. Rated for both interior and exterior applications—built for feature walls, backsplashes, facades, and architectural compositions where dimension is part of the design.

Made in Spain
Pressed
Glazed Porcelain
8.5mm

blanco



4½" X 9" Field Tile
3D Matte 270621

statuario



4½" X 9" Field Tile
3D Matte 270622

calacatta



4½" X 9" Field Tile
3D Matte 270623

travertino classico



4½" X 9" Field Tile
3D Matte 270624



TECHNICAL DATA

FACES  24 4½" X 9"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	N/A	N/A	Resistant	N/A	N/A	N/A	5	V2	3/16"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable



Made in Spain
Pressed
White Body
Wall Tile
Glossy Finish

borriana

Borriana brings a strong, fresh range of colors to a pressed white-body wall tile made in Spain. Fluid gradation between pieces creates a sense of depth and movement across the wall—an expressive small-format collection for projects that welcome energy and color.

white



3" X 12" Tile Glossy 270514



1/2" X 12" Edgestick Glossy 260514



5" X 5" Tile Glossy 270519

light blue



3" X 12" Tile Glossy 270515



1/2" X 12" Edgestick Glossy 260515



5" X 5" Tile Glossy 270520

borriana

Made in Spain
Pressed
White Body
Wall Tile
Glossy Finish

navy



3" X 12" Tile Glossy 270516



1/2" X 12" Edgestick Glossy 260516



5" X 5" Tile Glossy 270521

mint green



3" X 12" Tile Glossy 270517



1/2" X 12" Edgestick Glossy 260517



5" X 5" Tile Glossy 270522

green



3" X 12" Tile Glossy 270518



1/2" X 12" Edgestick Glossy 260518



5" X 5" Tile Glossy 270523





Made in Spain
Pressed
White Body
Wall Tile
Glossy Finish

borriana

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	5	V2	3/16"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
X - Not Suitable

brickhouse

Brickhouse captures the texture and patina of fired brick in a 9mm pressed glazed porcelain made in Italy, with rich color variation that gives every installation a one-of-a-kind read. Rated for walls and floors, interior and exterior—built for feature walls, facades, flooring, and adaptive-reuse projects where the language of masonry sets the tone.

Made in Italy
Pressed
Glazed Porcelain
9mm

white



2 3/8" x 9 7/8" Field Tile
Matte 270636

silver



2 3/8" x 9 7/8" Field Tile
Matte 270637

smoke



2 3/8" x 9 7/8" Field Tile
Matte 270638

buff



2 3/8" x 9 7/8" Field Tile
Matte 270639

classic



2 3/8" x 9 7/8" Field Tile
Matte 270640

chateau



2 3/8" x 9 7/8" Field Tile
Matte 270641



TECHNICAL DATA

FACES  60+ 2 3/8" X 9 7/8"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 R10 - IW	5	Resistant	N/A	N/A	N/A	N/A	V4	1/8"

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

* Except for Barefoot/Wet Zones

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Made in Italy
Glazed Porcelain
Pressed
9mm

colors

is a disciplined essentials line—bold black, true white, and the grey between—offered in a 9mm pressed glazed porcelain made in Italy. Matte and glossy finishes pair easily with other Pera Tile collections, built to function as base, accent, or full installation.

white



2 3/8" X 9 3/4" Field Tile
Matte 270345



2 3/8" X 9 3/4" Field Tile
Glossy 270348



6" Hexagon Field Tile
Matte 270354



2 3/8" X 9 3/4" Bullnose
Matte 260345



2 3/8" X 9 3/4" Bullnose
Glossy 260348

greige



2 3/8" X 9 3/4" Field Tile
Matte 270346



2 3/8" X 9 3/4" Field Tile
Glossy 270349



9 3/4" X 9 3/4" Field Tile
Matte 270352



6" Hexagon Field Tile
Matte 270355



2 3/8" X 9 3/4" Bullnose
Matte 260346



2 3/8" X 9 3/4" Bullnose
Glossy 260349


black



2 3/8" X 9 3/4" Field Tile
Matte 270347



2 3/8" X 9 3/4" Field Tile
Glossy 270350



9 3/4" X 9 3/4" Field Tile
Matte 270353



6" Hexagon Field Tile
Matte 270356



2 3/8" X 9 3/4" Bullnose
Matte 260347



2 3/8" X 9 3/4" Bullnose
Glossy 260350





colors

Made in Italy
Glazed Porcelain
Pressed
9mm

TECHNICAL DATA

Water Absorption	DOOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 (Matte) R9 - ID (Matte)	5	Resistant	N/A	≥ 1300N	N/A	5	V2	1/8"

Breaking strength meets EN 14411.

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

*Only Matte Tiles Recommended for Interior Dry Areas

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable



Made in Spain
Glazed Porcelain
Pressed
7.5mm

contemporary

Contemporary reinterprets the basics of small-format flooring—bold, casual, and built to combine effortlessly across the Pera Tile portfolio. A 7.5mm pressed glazed porcelain made in Spain, offered in 6" X 6" field tile and coordinating decors.

coconut milk	forest	rose quartz	bluestone	obsidian	aqua sea
6" X 6" Field Tile Plain Matte 270408	6" X 6" Field Tile Plain Matte 270412	6" X 6" Field Tile Plain Matte 270410	6" X 6" Field Tile Plain Matte 270416	6" X 6" Field Tile Plain Matte 270420	6" X 6" Field Tile Plain Matte 270418
6" X 6" Field Tile Nelly Decor 270409	6" X 6" Field Tile Nelly Decor 270413	6" X 6" Field Tile Nelly Decor 270411	6" X 6" Field Tile Nelly Decor 270417	6" X 6" Field Tile Nelly Decor 270421	6" X 6" Field Tile Nelly Decor 270419
3" X 6" Surface Bullnose Matte 260408	3" X 6" Surface Bullnose Matte 260412	3" X 6" Surface Bullnose Matte 260410	3" X 6" Surface Bullnose Matte 260416	3" X 6" Surface Bullnose Matte 260420	3" X 6" Surface Bullnose Matte 260418

contemporary

Made in Spain
Glazed Porcelain
Pressed
7.5mm

TECHNICAL DATA

Water Absorption	DOOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%*	> 0.42 R10 - IW*	3*	Resistant*	N/A	N/A	N/A	5*	V2	1/8"

*Except for Surface Bullnose
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

** Recommended for Residential and Light Commercial Floors Except for Barefoot/Wet Zones

APPLICATIONS - SURFACE BULLNOSE

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable





Made in Spain
Glazed Porcelain
Pressed
8.3mm

drift

Drift brings a glossy, light-reflecting finish to the water's edge and beyond, its 6"×6" porcelain surface moving between smooth flat fields, the sculpted dimension of Ripple, and clean bullnose edges. Engineered for the pool and the open air, it carries that same play of light indoors — onto feature walls, powder rooms, and backsplashes.

white
glossy



6" X 6" Flat Porcelain
Field Tile 270685

cloud
glossy



6" X 6" Flat Porcelain
Field Tile 270686

jade
glossy



6" X 6" Flat Porcelain
Field Tile 270688

evergreen
glossy



6" X 6" Flat Porcelain
Field Tile 270689

pacific
glossy



6" X 6" Flat Porcelain
Field Tile 270690

obsidian
glossy



6" X 6" Flat Porcelain
Field Tile 270687



6" X 6" Field Tile
3D Ripple Porcelain
270679



6" X 6" Field Tile
3D Ripple Porcelain
270680



6" X 6" Field Tile
3D Ripple Porcelain
270682



6" X 6" Field Tile
3D Ripple Porcelain
270683



6" X 6" Field Tile
3D Ripple Porcelain
270684



6" X 6" Porcelain
Surface Bullnose
260685




6" X 6" Porcelain
Surface Bullnose
260686



6" X 6" Porcelain
Surface Bullnose
260688



6" X 6" Porcelain
Surface Bullnose
260689



6" X 6" Porcelain
Surface Bullnose
260690



6" X 6" Porcelain
Surface Bullnose
260687



drift

Made in Spain
Glazed Porcelain
Pressed
8.3mm

TECHNICAL DATA

FACES  9 6" X 6"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	N/A	N/A	Resistant	N/A	N/A	N/A	5	V3	1/8"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I/E - Interior & Exterior
X - Not Suitable

Made in Spain
White Body Wall Tile & Trim
Pressed
8.5mm

frame

Frame is built on calm, powdery tones—an 8.5mm pressed white-body wall tile and trim collection made in Spain. Designed for bathrooms, kitchens, and intimate residential spaces where color is used to settle the room rather than dominate it.

white



5" X 6" Wall Tile
Glossy 270535

pearl



5" X 6" Wall Tile
Glossy 270536

blue



5" X 6" Wall Tile
Glossy 270537

5/8" X 12" Edge Stick
Glossy 260535

5/8" X 12" Edge Stick
Glossy 260536

5/8" X 12" Edge Stick
Glossy 260537

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	5	V1	3/16"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
X - Not Suitable



plankette

Made in Italy
Glazed Porcelain
Pressed
9mm

Plankette narrows linear design to a 1½" x 15" plank in 9mm pressed glazed porcelain made in Italy. Seven colorways across matte and glossy — white and nude at one end, petroleum and charcoal at the other — give the format enough range to read as a quiet field or as pattern. Matte is specified for interior floors in residential and light commercial work; both finishes run up walls indoors and out, including shower walls and pool waterlines.

white



1 ½" X 15" Field Tile
Matte 270642
Glossy 270649

nude




1 ½" X 15" Field Tile
Matte 270643
Glossy 270650

brick



1 ½" X 15" Field Tile
Matte 270644
Glossy 270651

olive



1 ½" X 15" Field Tile
Matte 270645
Glossy 270652

petroleum



1 ½" X 15" Field Tile
Matte 270646
Glossy 270653

sky blue



1 ½" X 15" Field Tile
Matte 270647
Glossy 270654

charcoal



1 ½" X 15" Field Tile
Matte 270648
Glossy 270655

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42* R10* - IW*	3 (Dark Colors) 4 (Light Colors)	Resistant	N/A	N/A	N/A	5	V2	3/16"

* Matte Only

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS -FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I***	I/E	X	I/E	I/E

** Only Matte Finish is Recommended for Residential Interior Floors Except for Barefoot/Wet Zones

*** Only Matte Finish is Recommended for Light-Medium Traffic Commercial Floors Except for Barefoot/Wet Zones

I - Interior Only

I/E - Interior & Exterior

X - Not Suitable

Offsets greater than ⅓ (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum ⅓ offset to accommodate natural dimensional variation.





Made in Italy
Glazed Porcelain Tiles
White-Body Trims
Pressed
9mm

posh

Posh is a pressed glazed porcelain made in Italy, rated for walls and exterior use including pool environments—anchored by matching white-body trims. A distinctive 3D Pitch field tile pairs with a coordinating brick field tile in rich, fully harmonized colorways, giving designers a single material family for resolved transitions across vertical surfaces and water-adjacent installations.

ivory



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270603




2 3/8" X 9 7/8" Field Tile
Glossy 270597



1/2" X 9 7/8" Quarter Round
Glossy 260597

grey



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270604



2 3/8" X 9 7/8" Field Tile
Glossy 270598



1/2" X 9 7/8" Quarter Round
Glossy 260598

graphite



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270605



2 3/8" X 9 7/8" Field Tile
Glossy 270599



1/2" X 9 7/8" Quarter Round
Glossy 260599

navy



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270606



2 3/8" X 9 7/8" Field Tile
Glossy 270600



1/2" X 9 7/8" Quarter Round
Glossy 260600

blue



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270607



2 3/8" X 9 7/8" Field Tile
Glossy 270601



1/2" X 9 7/8" Quarter Round
Glossy 260601

green



5" X 9 7/8" Pitch 3D Field Tile
Glossy 270608



2 3/8" X 9 7/8" Field Tile
Glossy 270602



1/2" X 9 7/8" Quarter Round
Glossy 260602

TECHNICAL DATA

Water Absorption	DOOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	N/A	3 (Dark Colors) 4 (Light Colors)	Resistant*	N/A	N/A	N/A	3	V4	1/8"

*Except for Quarter Round
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

APPLICATIONS - QUARTER ROUND

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable




Made in Spain
White Body Tile
Pressed
9mm

ravello

Ravello is a 9mm pressed white-body wall tile made in Spain in white, natural, and sky—a glossy, perennial small-format program built for kitchens, bathrooms, and any space that benefits from light and luminosity.

white



3" X 12" Field Tile
Glossy 270269




5/8" X 12" Edge Stick
Glossy 260269



2" X 12" Bullnose Trim
Glossy 260270

natural



3" X 12" Field Tile
Glossy 270271



5/8" X 12" Edge Stick
Glossy 260271

sky



3" X 12" Field Tile
Glossy 270273



5/8" X 12" Edge Stick
Glossy 260273



2" X 12" Bullnose Trim
Glossy 260274

TECHNICAL DATA

Water Absorption	DOCF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	5	V1	1/8"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
X - Not Suitable





refined

Refined is a 9mm pressed glazed porcelain made in Italy, offered in a soft pastel palette across two distinct expressions—a sleek Flat surface and a dimensional 3D Stripes profile. Rated for interior, exterior, and pool environments, used together or apart to bring tactile and visual contrast to walls, backsplashes, and feature surfaces.

Made in Italy
Glazed Porcelain Tiles
White-Body Trims
Pressed
9mm

white



2" X 6" Field Tile
Glossy 270609



2" X 6" Stripes 3D Field Tile
Glossy 270614



1 1/2" X 15" Quarter Round
Glossy 260609

grey



2" X 6" Field Tile
Glossy 270610



2" X 6" Stripes 3D Field Tile
Glossy 270615



1 1/2" X 15" Quarter Round
Glossy 260610

tiffany



2" X 6" Field Tile
Glossy 270611



2" X 6" Stripes 3D Field Tile
Glossy 270616



1 1/2" X 15" Quarter Round
Glossy 260611

green



2" X 6" Field Tile
Glossy 270612



2" X 6" Stripes 3D Field Tile
Glossy 270617



1 1/2" X 15" Quarter Round
Glossy 260612

blue



2" X 6" Field Tile
Glossy 270613



2" X 6" Stripes 3D Field Tile
Glossy 270618



1 1/2" X 15" Quarter Round
Glossy 260613

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%*	N/A	2 (Green, Blue) 3 (Grey, Tiffany) 4 (White)	Resistant*	6 Mohs*	≥1300N*	N/A	5	V3	1/8"

*Except for Quarter Round
Breaking strength meets EN 14411.
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

APPLICATIONS - QUARTER ROUND

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable




Made in Spain
Glazed Porcelain
Pressed
8.5mm

saint germain

Saint Germain draws on the Mediterranean tradition of hand-painted watercolor tiles—translated into an 8.5mm pressed glazed porcelain made in Spain. The palette borrows from the Impressionists, renewed in colors built for contemporary kitchens, bathrooms, and entry walls.

field tile




6" X 6" White
Matte 270529



6" X 6" Turquoise
Matte 270530



6" X 6" Olive
Matte 270532




6" X 6" Grey
Matte 270533



6" X 6" Black
Matte 270534

surface bullnose




6" X 6" White
Matte 260529



6" X 6" Turquoise
Matte 260530



6" X 6" Olive
Matte 260532



6" X 6" Grey
Matte 260533



6" X 6" Black
Matte 260534



saint germain

Made in Spain
Glazed Porcelain
Pressed
8.5mm


field tile




6" X 6" Jules
Matte 270524



6" X 6" Flore
Matte 270525



6" X 6" Rivette
Matte 270526



6" X 6" Denis
Matte 270527



6" X 6" Montana
Matte 270528

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%*	≥ 0.42 R9 - ID*	4 (Solids) 2 (Patterns)	Resistant*	N/A	N/A	N/A	5*	V1	1/8"

*Except for Surface Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

**Recommended for Dry Areas Only
Patterns are Recommended for Light Residential Only
Solids are Recommended for Heavy Residential and Medium Commercial

APPLICATIONS - GLAZED BULLNOSE

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable





switch



Switch translates the timeless shapes of Old Spanish ceramics—pickets, subways, and matching trims—into an 8mm pressed white-body wall tile made in Spain, available in matte and glossy finishes across a palette of soft, lived-in colors. Coordinating porcelain hexagons extend the collection to floor and exterior applications, giving designers a unified language across walls, floors, and outdoor surfaces.

Made in Spain
Glazed Porcelain Field Tile
White Body Wall Tile+Trims
Pressed
8mm



Made in Spain
Glazed Porcelain Field Tile
White Body Wall Tile+Trims
Pressed
8mm

switch

	porcelain	wall tile	trims
white	 4" X 4½" Hexagon Matte 270340	 2" X 10" Picket Wall Tile Glossy 270330  2" X 10" Picket Wall Tile Matte 270401  2½" X 5" Subway Wall Tile Glossy 270335	 5/8" X 12" Edge Stick Glossy 260330  5/8" X 12" Edge Stick Matte 260401
grey	 4" X 4½" Hexagon Matte 270341	 2" X 10" Picket Wall Tile Glossy 270331  2" X 10" Picket Wall Tile Matte 270402  2½" X 5" Subway Wall Tile Glossy 270336	 5/8" X 12" Edge Stick Glossy 260331  5/8" X 12" Edge Stick Matte 260402
graphite	 4" X 4½" Hexagon Matte 270342	 2" X 10" Picket Wall Tile Glossy 270332  2" X 10" Picket Wall Tile Matte 270403  2½" X 5" Subway Wall Tile Glossy 270337	 5/8" X 12" Edge Stick Glossy 260332  5/8" X 12" Edge Stick Matte 260403
blue	 4" X 4½" Hexagon Matte 270343	 2" X 10" Picket Wall Tile Glossy 270333  2" X 10" Picket Wall Tile Matte 270404  2½" X 5" Subway Wall Tile Glossy 270338	 5/8" X 12" Edge Stick Glossy 260333  5/8" X 12" Edge Stick Matte 260404
dark blue	 4" X 4½" Hexagon Matte 270344	 2" X 10" Picket Wall Tile Glossy 270334  2" X 10" Picket Wall Tile Matte 270405  2½" X 5" Subway Wall Tile Glossy 270339	 5/8" X 12" Edge Stick Glossy 260334  5/8" X 12" Edge Stick Matte 260405

TECHNICAL DATA - PORCELAIN TILES

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	≥ 0.42 R9 - ID	3	Resistant	N/A	N/A	N/A	3	V3	3/16" (Hexagon)

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - PORCELAIN TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

* Only Recommended for Dry Areas for Residential and Light Commercial

TECHNICAL DATA - WALL TILES & TRIMS

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	5	V3	1/8" (Subway)

APPLICATIONS - WALL TILES & TRIMS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable



Made in Spain
Glazed Porcelain Tiles
White-Body Wall Tiles & Trims
Pressed
8mm

verona

Verona is a complete small-format collection made in Spain—8mm pressed white-body 3" x 12" wall tiles and matching trims in coordinated matte finishes, extended by coordinating porcelain hexagons rated for floor and exterior use. A unified material family across walls, floors, and outdoor surfaces.

white



5 1/2" X 6 1/4"
Porcelain Hexagon
Matte 270264



3" X 12" Ceramic Wall Tile
Matte 270263



5/8" X 12" Ceramic Edge Stick
Matte 260263

grey



5 1/2" X 6 1/4"
Porcelain Hexagon
Matte 270267



3" X 12" Ceramic Wall Tile
Matte 270266



5/8" X 12" Ceramic Edge Stick
Matte 260266

TECHNICAL DATA - PORCELAIN TILES

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	≥ 0.42 R9 - ID	3 (Grey) 4 (White)	Resistant	N/A	N/A	N/A	5	V2 (Grey) V3 (White)	1/8"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - PORCELAIN TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I*	I/E	X	I/E	I/E
Commercial	I*	I/E	X	I/E	I/E

* Recommended for Dry Areas Only in Residential and Light-Medium Commercial

TECHNICAL DATA - WHITE-BODY WALL TILES & TRIMS

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
> 10%	N/A	N/A	Not Resistant	N/A	N/A	N/A	3	V3	1/8"

APPLICATIONS - WHITE-BODY WALL TILES & TRIMS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	I	X
Commercial	X	I	X	I	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable



Made in Spain |
Glazed Porcelain
Pressed
8mm

village

Classic but not dated. Retro yet timeless. Village is a 6" X 6" pressed glazed porcelain made in Spain—a small-format collection that holds opposing qualities in balance, rated for floor, exterior, and pool applications and well-suited to projects that draw from heritage references without becoming literal.



6" X 6" Caleta Black
Matte 270282



6" X 6" Daroca Black
Matte 270283



6" X 6" Villena Black
Matte 270284



6" X 6" Flat White
Matte 270281



6" X 6" Caleta Blue
Matte 270285



6" X 6" Daroca Blue
Matte 270286



6" X 6" Villena Blue
Matte 270287



6" X 6" Bullnose White
Matte 260281

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%*	≥ 0.42 R10 - IV*	4*	Resistant*	N/A	N/A	N/A	5*	V2	1/8"

*Except for Bullnose Trim
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS - FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I**	I/E	X	I/E	I/E
Commercial	I**	I/E	X	I/E	I/E

**Recommended for Interior Floors in Residential and Medium Commercial, Except for Barefoot/Wet Zones

APPLICATIONS - BULLNOSE TRIM

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I	X	X	X
Commercial	X	X	X	X	X

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable







fusion

Fusion blends the language of stone, concrete, and wood into a single three-dimensional surface that reads like stacked stone—an 8–12mm porcelain wall panel made in Italy in 6¼" x 15¾" format with matching mitered corners. The reverse-pressed construction minimizes grout joints for a continuous, fully resolved wall, giving interior and exterior surfaces the depth of natural materials without visual interruption.

Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

sweet



6¼" X 15¾" Wall Panel 210001



6¼" X 15¾"
Mitered Outside Corner*
210011-O



6¼" X 15¾"
Mitered Inside Corner*
210011-I

mild



6¼" X 15¾" Wall Panel 210002



6¼" X 15¾"
Mitered Outside Corner*
210012-O



6¼" X 15¾"
Mitered Inside Corner*
210012-I

hot



6¼" X 15¾" Wall Panel 210003



6¼" X 15¾"
Mitered Outside Corner*
210013-O



6¼" X 15¾"
Mitered Inside Corner*
210013-I

* Made-to-order in California (1-3 weeks).



Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

fusion

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation
< 0.5%	N/A	5	Resistant	8 Mohs	N/A	N/A	5	V4

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

iguazu

Made in Spain
Glazed Porcelain
Pressed
14mm

Iguazu translates the raked, linear texture of natural ledger stone into an 8" X 25" pressed glazed porcelain wall panel made in Spain. Five colorways—from soft sand to deep black—pair with matching mitered corner profiles for clean, fully resolved interior and exterior walls.

sand



8" X 25" Field Tile
Raked 270480



8" X 25" Mitered Inside Corner*
Raked 270480-I



8" X 25" Mitered Outside Corner*
Raked 270480-O

terra



8" X 25" Field Tile
Raked 270481



8" X 25" Mitered Inside Corner*
Raked 270481-I



8" X 25" Mitered Outside Corner*
Raked 270481-O

grey



8" X 25" Field Tile
Raked 270482



8" X 25" Mitered Inside Corner*
Raked 270482-I



8" X 25" Mitered Outside Corner*
Raked 270482-O

charcoal



8" X 25" Field Tile
Raked 270483



8" X 25" Mitered Inside Corner*
Raked 270483-I




8" X 25" Mitered Outside Corner*
Raked 270483-O


black



8" X 25" Field Tile
Raked 270484



8" X 25" Mitered Inside Corner*
Raked 270484-I



8" X 25" Mitered Outside Corner*
Raked 270484-O

* Made-to-order in California (1-3 weeks).



Made in Spain
Glazed Porcelain
Pressed
14mm

iguazu

TECHNICAL DATA

FACES  16 8" X 25"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	N/A	N/A	Resistant	N/A	N/A	N/A	N/A	V4	1/8"

APPLICATIONS -FIELD TILES

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8 offset to accommodate natural dimensional variation.



marmi

Marmi brings the soft veining and tonal calm of marble to a three-dimensional, stacked porcelain wall panel—8–12mm reverse-pressed and made in Italy in 6¼" x 15¾" format with matching mitered corners. The dimensional surface delivers marble's character to interior and exterior walls in a continuous, low-grout-joint installation.

Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

white



6¼" X 15¾" Wall Panel 210004



6¼" X 15¾"
Mitered Outside Corner*
210014-O



6¼" X 15¾"
Mitered Inside Corner*
210014-I

grey



6¼" X 15¾" Wall Panel 210005



6¼" X 15¾"
Mitered Outside Corner*
210015-O



6¼" X 15¾"
Mitered Inside Corner*
210015-I

* Made-to-order in California (1-3 weeks).



Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

marmi

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation
< 0.5%	N/A	5	Resistant	8 Mohs	N/A	N/A	5	V4

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable



natura

Natura draws on the layered character of natural quartzite and slate, translated into a reverse-pressed interlocking porcelain wall panel made in Italy. Offered across a palette that moves from quiet to bold, it is engineered for fireplaces, showers, and pool and spa waterlines—including the dimensional Xtreme 3D profile.

Made in Italy
Porcelain Wall Panels
Reverse-Pressed
Xtreme 3D Effect
9-15mm

artico



6¼" X 15¾" Wall Panel 210021



6¼" X 15¾" Mitered
Inside Corner*
210030-I

6¼" X 15¾" Mitered
Outside Corner*
210030-O

tropical



6¼" X 15¾" Wall Panel 210022



6¼" X 15¾" Mitered
Inside Corner*
210031-I

6¼" X 15¾" Mitered
Outside Corner*
210031-O

deserto



6¼" X 15¾" Wall Panel 210023



6¼" X 15¾" Mitered
Inside Corner*
210032-I

6¼" X 15¾" Mitered
Outside Corner*
210032-O

giungla



6¼" X 15¾" Wall Panel 210024



6¼" X 15¾" Mitered
Inside Corner*
210033-I

6¼" X 15¾" Mitered
Outside Corner*
210033-O

terra



6¼" X 15¾" Wall Panel 210025



6¼" X 15¾" Mitered
Inside Corner*
210034-I

6¼" X 15¾" Mitered
Outside Corner*
210034-O

lava



6¼" X 15¾" Wall Panel 210026



6¼" X 15¾" Mitered
Inside Corner*
210035-I

6¼" X 15¾" Mitered
Outside Corner*
210035-O

* Made-to-order in California (1-3 weeks).



Made in Italy
Porcelain Wall Panels
Reverse-Pressed
Xtreme 3D Effect
9-15mm

natura

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation
< 0.5%	N/A	5	Resistant	8 Mohs	N/A	N/A	5	V4

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

ontario

Ontario brings together a softly de-toned palette with a thin-raked surface—an 11mm pressed glazed porcelain made in Spain, rated for interior and exterior use. The result is a wall surface that holds and modulates light beautifully, equally at home in residential interiors, refined commercial environments, and exterior facades.

Made in Spain
Glazed Porcelain
Pressed
11mm

blanco



12" X 22" Wall Panel
Thin-Raked 270510

gris



12" X 22" Wall Panel
Thin-Raked 270511

antracita



12" X 22" Wall Panel
Thin-Raked 270512

TECHNICAL DATA

FACES  6 12" X 22"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	N/A	N/A	Resistant	N/A	N/A	N/A	N/A	V2	3/16"

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/4 offset to accommodate natural dimensional variation.





Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

samurai

Samurai is a 3" x 15" three-dimensional reverse-pressed porcelain wall panel made in Italy, available in brown and dark colorways with matching mitered corners. Its linear, slatted character brings rhythm and architectural weight to interior walls, exterior facades, and pool environments.

brown



3" X 15" Wall Panel 210009

dark



3" X 15" Wall Panel 210010



3" x 15"
Mitered Outside Corner*
210019-O



3" x 15"
Mitered Outside Corner*
210020-O



3" X 15"
Mitered Inside Corner*
210019-I



3" X 15"
Mitered Inside Corner*
210020-I

* Made-to-order in California (1-3 weeks).



samurai

Made in Italy
Porcelain Wall Panels
Reverse-Pressed
8-12mm

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	N/A	5	Resistant	8 Mohs	N/A	N/A	5	V4	3/16"

Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.



Made in Italy
Porcelain Wall Panels
Pressed
7-11mm

volcano

Volcano interprets the language of cement in a three-dimensional 6" x 24" pressed porcelain wall panel made in Italy, with multiple concrete finishes layered within a single panel for a richly varied surface. Offered in three colorways with matching mitered corners and rated for interior, exterior, and pool environments—built to bring depth and tactility to walls and facades across full architectural specifications.

beige



6" X 24" Wall Panel 210027



6" X 24" Mitered
Outside Corner*
210036-O



6" X 24" Mitered
Inside Corner*
210036-I

grey



6" X 24" Wall Panel 210028



6" X 24" Mitered
Outside Corner*
210037-O



6" X 24" Mitered
Inside Corner*
210037-I

dark



6" X 24" Wall Panel 210029



6" X 24" Mitered
Outside Corner*
210038-O



6" X 24" Mitered
Inside Corner*
210038-I

* Made-to-order in California (1-3 weeks).



volcano

Made in Italy
Porcelain Wall Panels
Pressed
7-11mm

TECHNICAL DATA

FACES  **215** 6" X 24" panels

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.15%	N/A	5	Resistant	8 Mohs	≥1300N	N/A	5	V4	3/16"

Breaking strength meets EN 14411.
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	X	I/E	X	I/E	I/E
Commercial	X	I/E	X	I/E	I/E

I - Interior Only
I/E - Interior & Exterior
X - Not Suitable

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Made in Italy
Color-Body Porcelain
Rectified
2cm

baltic

Baltic brings the warmth of natural wood to a 12" x 48" x 2cm color-body porcelain paver made in Italy, offered with matching coping in a best-selling natural amber colorway. Engineered for terraces, walkways, and pool surrounds—an outdoor surface that pairs the language of timber with the slip-resistance and frost-resistance demanded by exterior specifications.



12" X 48" Porcelain Paver
Amber Outdoor R11 280709



12" X 48" Unglazed Bullnose Coping
Amber Outdoor R11 285709



12" X 48" Mitered L-Shape Coping
2" Drop*
Amber Outdoor R11 285709-L

* Dimensions of the copings and size of the drop can be customized. Additional profiles are available upon request.
All copings are made-to-order in California (1-5 weeks).

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	≥ 0.42 R11 - EW	5	Resistant	N/A	N/A	N/A	3	V3	3/16" † 1/4" ‡

† Installed on Concrete Base
‡ Installed on Sand or Pedestal
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E	I/E	I/E	I/E	I/E

I/E - Interior & Exterior

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.





DreamScapes™

DreamScapes™ is Pera Tile's private-label outdoor program—a 2cm porcelain paver and coping collection exclusive to Pera Tile and available across multiple sizes, colors, and finishes. The strength of the line is in-house customization: pavers and copings can be cut to project-specific sizes, shapes, and profiles, giving designers and contractors the flexibility of a custom material with the reliability of a fully supported program.

Made in the USA
Color-Body Porcelain
Rectified
2cm

ivory travertine



navona travertine




silver travertine



ivory limestone



light coffee limestone




silver limestone



silky stone light



saramago limestone



silver quartz



grey quartz



nextone bianco







nextone light grey



nextone black



DreamScapes™ PRODUCT LISTING


COLOR	STANDARD PAVERS			STANDARD MADE-TO-ORDER COPINGS*					
	24" X 24" Paver	24" X 36" Paver	24" X 48" Paver	12" X 24" Unglazed Bullnose	12" X 36" Unglazed Bullnose	12" X 48" Unglazed Bullnose	12" X 24" Mitered L-Shape 2" Drop	12" X 36" Mitered L-Shape 2" Drop	12" X 48" Mitered L-Shape 2" Drop
									
IVORY TRAVERTINE	280101	280103	-	285101	285103	-	285101-L	285103-L	-
NAVONA TRAVERTINE	280111	-	-	285111	-	-	285111-L	-	-
SILVER TRAVERTINE	280121	280123	-	285121	285123	-	285121-L	285123-L	-
IVORY LIMESTONE	280201	-	-	285201	-	-	285201-L	-	-
LIGHT COFFEE LIMESTONE	280211	-	-	285211	-	-	285211-L	-	-
SILVER LIMESTONE	280221	280223	280224	285221	285223	285224	285221-L	285223-L	285224-L
SILKY STONE LIGHT	280241	-	280244	285241	-	285244	285241-L	-	285244-L
SARAMAGO LIMESTONE	280251	-	280254	285251	-	285254	285251-L	-	285254-L
SILVER QUARTZ	280311	280313	-	285311	285313	-	285311-L	285313-L	-
GREY QUARTZ	280321	280323	-	285321	285323	-	285321-L	285323-L	-
NEXTONE BIANCO	280431	280433	-	285431	285433	-	285431-L	285433-L	-
NEXTONE LIGHT GREY	280401	280403	-	285401	285403	-	285401-L	285403-L	-
NEXTONE BLACK	280421	-	-	285421	-	-	285421-L	-	-

*All copings are made-to-order in California (1-5 weeks).

CUT-TO-ORDER PAVER SIZES

SIZE	AVAILABLE COLORS
18" X 36"	All 24" X 36" Colors
18" X 24"	All 24" X 36" Colors
16" X 24"	All 24" X 24" Colors
12" X 48"	All 24" X 48" Colors
12" X 36"	All 24" X 36" Colors
12" X 24"	All 24" X 24" Colors
12" X 18"	All 24" X 36" Colors
12" X 12"	All 24" X 24" Colors
8" X 36"	All 24" X 36" Colors
8" X 24"	All 24" X 36" Colors
8" X 16"	All 24" X 24" Colors
8" X 8"	All 24" X 24" Colors
6" X 36"	All 24" X 36" Colors
6" X 24"	All 24" X 24" Colors
6" X 12"	All 24" X 24" Colors
6" X 6"	All 24" X 24" Colors
4" X 12"	All 24" X 24" Colors

CUSTOM PROFILES




CUT-TO-ORDER PATTERNS

PATTERN	AVAILABLE COLORS
6" Versailles	All 24" X 24" Colors
12" Versailles	All 24" X 36" Colors
6" Roman	All 24" X 24" Colors
12" Roman	All 24" X 24" Colors
Manor	All 24" X 36" Colors
Running Bond	All 24" X 36" Colors


PATTERN SETS

6" ROMAN PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	6" X 6"	1	0.24	14.3%
B	6" X 12"	1	0.48	28.6%
C	12" X 12"	1	0.96	57.1%
Total		3	1.68	100%


12" ROMAN PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	12" X 12"	1	0.97	14.2%
B	12" X 24"	1	1.95	28.6%
C	24" X 24"	1	3.90	57.2%
Total		3	6.82	100%


Roman Patterns for Natural Stone and Porcelain Tile/Paver differ slightly in exact sizing.
For Roman Pattern in Natural Stone, please refer to the schematics specific to natural stones.

6" VERSAILLES PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	6" X 6"	2	0.48	11.1%
B	6" X 12"	1	0.48	11.1%
C	12" X 12"	2	1.92	44.4%
D	12" X 18"	1	1.44	33.3%
Total		6	4.32	100%


12" VERSAILLES PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	12" X 12"	2	1.94	11.1%
B	12" X 24"	1	1.94	11.1%
C	24" X 24"	2	7.76	44.4%
D	24" X 36"	1	5.84	33.4%
Total		6	17.48	100%


Versailles Patterns for Natural Stone and Porcelain Tile/Paver differ slightly in exact sizing.
For Versailles Pattern in Natural Stone, please refer to the schematics specific to natural stones.

MANOR PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	12" X 24"	1	1.94	16.6%
B	24" X 24"	1	3.90	33.4%
C	24" X 36"	1	5.84	50%
Total		3	11.68	100%

RUNNING BOND PATTERN SET



PIECE	SIZE	PC/SET	SFT/SET	% SFT
A	6" X 36"	1	1.46	12.5%
B	18" X 36"	1	4.38	37.5%
C	24" X 36"	1	5.84	50%
Total		3	11.68	100%

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.5%	> 0.42 R11 - EW	3	Resistant	7 Mohs	2800 lbf	Resistant	Resistant	V2 (Nextone & Limestone) V3 (Travertine) V4 (Quartz)	3/16" † 1/4" ‡

† Installed on Concrete Base

‡ Installed on Sand or Pedestal

Chemical and stain resistance tested to ASTM C650 / C1378.

Breaking strength tested to ASTM C648.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E*	I/E	I/E	I/E	I/E

*Light Commercial Only

I/E - Interior & Exterior

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.





Made in Turkey
Color-Body Porcelain
Rectified
2cm

forest

Forest renders the grain and weathered character of natural timber in a 12" x 48" x 2cm color-body porcelain paver. Offered in silver and dark colorways with matching bullnose and L-shape copings, it brings the warmth of wood to exterior surfaces that demand the durability of porcelain.

silver



12" X 48" Paver
Outdoor R11 280702

dark



12" X 48" Paver
Outdoor R11 280703



12" X 48" Unglazed
Bullnose Coping*
Outdoor R11 285702



12" X 48" L-shape
Mitered Coping
2" Drop *
Outdoor R11 285702-L



12" X 48" Unglazed
Bullnose Coping*
Outdoor R11 285703



12" X 48" L-shape
Mitered Coping
2" Drop *
Outdoor R11 285703-L

**Dimensions of the copings and the size of the drop can be customized. Additional profiles are available upon request.
All copings are made-to-order in California (1-5 weeks).*

TECHNICAL DATA

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
< 0.5%	≥ 0.42 R11 - EW	4 (Silver) 3 (Dark)	Resistant	N/A	N/A	N/A	N/A	V2	3/16" † 1/4" ‡

† Installed on Concrete Base

‡ Installed on Sand or Pedestal

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E*	I/E	I/E	I/E	I/E

* Recommended for All Residential and Light-Medium Commercial Only

I/E - Interior & Exterior

Offsets greater than 1/8" (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8" offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.

Made in Italy
Color-Body Porcelain
Rectified
2cm

pietrasanta pavers

Pietrasanta brings the timeless language of Italian marble to a contemporary porcelain program. Carrara-inspired reproductions are offered in both 9.5mm and 2cm thicknesses across multiple finishes—engineered to serve upscale residential interiors and exterior installations within a single material family.

bianco



24" X 48" Porcelain Paver
Outdoor R11 280801



12" X 48" Bullnose Coping*
Un glazed
Outdoor R11 285801

12" X 48" L-Shape Coping*
Mitered 2" Drop**
Outdoor 285801-L

ivory



24" X 48" Porcelain Paver
Outdoor R11 280802



12" X 48" Bullnose Coping*
Un glazed
Outdoor R11 285802

12" X 48" L-Shape Coping*
Mitered 2" Drop**
Outdoor 285802-L

grigio



24" X 48" Porcelain Paver
Outdoor R11 280803



12" X 48" Bullnose Coping*
Un glazed
Outdoor R11 285803

12" X 48" L-Shape Coping*
Mitered 2" Drop**
Outdoor 285803-L

* Please see the tile section of the catalogue for the complete Pietrasanta collection including tiles, mosaics and trims.

** Dimensions of the copings and size of the drop can be customized. Additional profiles are available upon request. All copings are made-to-order in California (1-5 weeks).

pietrasanta pavers

Made in Italy
Color-Body Porcelain
Rectified
2cm

TECHNICAL DATA

FACES  10 24" X 48"

Water Absorption	DCOF	PEI Rating	Frost Resistance	Scratch Resistance	Breaking Strength	Chemical Resistance	Stain Resistance	Shade Variation	Min Grout Joint
≤ 0.1%	≥ 0.55 R11 - EW	min 3	Resistant	N/A	≥ 10,000 N	N/A	min 3	V2 (Bianco & Grigio) V3 (Ivory)	3/16" † 1/4" ‡

† Installed on Concrete Base
‡ Installed on Sand or Pedestal
Breaking strength tested to EN ISO 10545-4.
Stain resistance tested to EN ISO 10545-14.

APPLICATIONS

	Floors	Walls	Shower Floors	Shower Walls	Pool & Spa Submerged
Residential	I/E	I/E	I/E	I/E	I/E
Commercial	I/E*	I/E	I/E	I/E	I/E

* Recommended for All Residential and Light-Medium Commercial Only
I/E - Interior & Exterior

Offsets greater than 1/4 (33%) are not recommended. Per ANSI A108 / TCNA guidelines, large-format and long-plank tiles should be installed with a maximum 1/8 offset to accommodate natural dimensional variation.

Custom cuts, mitered edges, and cut-to-size fabrication available in-house. Waterjet designs and bespoke mosaics through Atelier Pera.



From intention to specification

Beauty must be supported by structure. The pages that follow translate intention into specification — the framework behind every recommendation in this catalogue.

Slip resistance, abrasion, hardness, strength, chemical performance — and the installation discipline that brings them together. These are the measurements that turn material into architecture.

Read them carefully. Specify with confidence.

PERFORMANCE • INSTALLATION • MATERIAL PROPERTIES

STANDARDS REFERENCED

ANSI A326.3-2021 · American National Standard Test Method for Measuring Dynamic Coefficient of Friction (DCOF) of Hard Surface Flooring Materials (TCNA)

ANSI A137.1-2022 · American National Standard Specifications for Ceramic Tile

ANSI A108.02 · General Requirements: Materials, Environmental, and Workmanship

ASTM C648-20 · Standard Test Method for Breaking Strength of Ceramic Tile

ASTM C650-20 · Standard Test Method for Determination of Resistance to Chemical Substances

ASTM C1027-19 · Standard Test Method for Determining Visible Abrasion Resistance of Glazed Ceramic Tile

ASTM C1378-20 · Standard Test Method for Determination of Resistance to Staining

ASTM C1895-20 · Standard Test Method for Determination of Mohs Scratch Hardness

EN ISO 10545-4:2019 · Ceramic tiles — Determination of modulus of rupture and breaking strength

EN ISO 10545-13:2016 · Ceramic tiles — Determination of chemical resistance

EN ISO 10545-14:2015 · Ceramic tiles — Determination of resistance to stains

EN 14411 / ISO 13006 · Ceramic tiles — Definitions, classification, characteristics and marking

DIN 51130:2014-02 · Testing of Floor Coverings — Determination of the Anti-Slip Property (Shod Ramp Test)

A free digital copy of ANSI A326.3 is available at tcnatile.com.

UNDERSTANDING THE NUMBERS

A specifier's guide to the ratings that matter — and how they apply to the recommendations in this catalogue. Every Pera Tile product carries a set of technical classifications. Here is how to read them.

PERFORMANCE • SLIP, WEAR & APPEARANCE

DCOF *Dynamic Coefficient of Friction — slip resistance*

Per ANSI A326.3-2021 (Tile Council of North America), hard surface flooring is classified into five product use categories. DCOF expresses the force required to keep a person already in motion sliding across a surface as a ratio of the weight pressing them together.

CATEGORY	ANSI A326.3 CRITERION	APPLICATION
Interior, Dry (ID)	≥ 0.42 dry †	Lobbies, offices, showrooms, dry residential interiors
Interior, Wet (IW)	≥ 0.42 wet	Foyers, restrooms, kitchens, baths, retail floors
Interior, Wet Plus (IW+)	Manufacturer-declared ‡	Barefoot/wet zones — pool surrounds, locker rooms, showers
Exterior, Wet (EW)	Manufacturer-declared ‡	Patios, pool decks, walkways, sidewalks
Oils/Greases (O/G)	Manufacturer-declared ‡	Commercial kitchens, food prep, BOH restaurants

† Dry DCOF testing is optional under ANSI A326.3 §10.0. ‡ ANSI A326.3 sets no numeric minimum for IW+, EW or O/G; suitability for these three is declared by the manufacturer — confirm the declared value on the product's technical data sheet.

A NOTE ON POLISHED TILE

Per ANSI A326.3 §3.2, any hard surface flooring measuring below 0.42 wet DCOF — polished surfaces among them — shall only be installed where the surface will be kept dry when walked upon, unless otherwise declared by the manufacturer. For wet floors (baths, kitchens, foyers, pool decks), specify honed, brushed, tumbled, or textured finishes. Smaller polished mosaics with frequent grout joints offer more drainage and may be acceptable for accents — always verify with the project's specifier.

PEI *Visible Abrasion Classification — durability*

Tested per ASTM C1027, this six-class scale — 0 through 5 — measures how well a glazed tile's surface resists visible wear from foot traffic. PEI reflects surface durability only, not overall tile quality.

CLASS	USE	TYPICAL APPLICATIONS
PEI 0	Wall only	Backsplashes, accent walls, decorative surfaces
PEI 1	Very light residential	Bathroom walls, light-use floors with no scratching dirt
PEI 2	Light residential	Bedrooms, low-traffic baths — soft footwear only
PEI 3	All residential, light commercial	Kitchens, living areas, offices, boutiques
PEI 4	Heavy residential, medium commercial	Restaurants, hotel lobbies, hallways, mudrooms, entryways
PEI 5	Heavy commercial	Airports, shopping centers, public buildings, schools

R-Rating *DIN 51130:2014-02 Ramp Test — European slip resistance*

The European complement to DCOF. A test subject in cleated boots walks an oil-coated ramp; the angle at which slip occurs determines the rating. Use alongside DCOF for European-sourced tile.

CLASS	SLIP ANGLE	APPLICATION
R9	6°–10°	Dry interior areas — entrances, dining rooms, low-moisture residential
R10	10°–19°	Areas kept mostly dry — bathrooms, kitchens, hallways, retail
R11	19°–27°	Wet interior/exterior — entries, wet rooms, patios, light commercial kitchens
R12	27°–35°	High-contamination zones — commercial kitchens, food prep, ramps
R13	> 35°	Heavy industrial — abattoirs, fish processing, breweries, chemical plants

V-Rating Aesthetic Class — shade and texture variation

Defined by ANSI A137.1, this scale tells designers how much color, tone, and texture will vary between tiles in the same production run. It sets visual expectations before installation.

CLASS	DESCRIPTION	DESIGN INTENT
V0	Very uniform	Pieces of the same shade value are very uniform and smooth in texture. Used for monolithic, seamless fields.
V1	Uniform	Differences among pieces from the same production run are minimal. Clean, contemporary, predictable.
V2	Slight	Clearly distinguishable differences in texture and/or pattern with similar colors. Quiet character without drama.
V3	Moderate	Colors and texture indicative across pieces but amount may vary significantly. Range should be viewed before selection.
V4	Substantial	Bold, intentional inconsistency from piece to piece. Used for stone-look, wood-look, and rustic effects.


 # of Faces — the number of distinct surface designs produced for a given size and color: graphic prints, and for dimensional tiles, relief molds. Where a collection lists its faces, the higher the number, the less often a pattern repeats across an installation.

INSTALLATION • OFFSET, GROUT JOINTS & SUBSTRATE

Lippage — the visible difference in elevation between adjacent tiles — is the most common installation failure on large-format projects. It is controlled by three interlocking rules drawn from ANSI A108.02. Specifying any one without the others will not prevent it.

50% OFFSET

Edges align mid-tile — amplifies warpage




✗ HIGH LIPPAGE RISK

High edge of one tile aligns with low edge of next — warpage becomes visible.

33% OFFSET

ANSI A108.02 §4.3.8.2 — required for tiles > 15"



✓ WARPAGE DISTRIBUTED

Edges fall at 1/3 points — visual lippage minimized across the field.

RULE OF THUMB For any tile where one side exceeds 15", maximum 33% offset is required unless manufacturer specifies otherwise. Greater offsets require approved mock-up.

THE THREE RULES OF LIPPAGE CONTROL

1. **MAXIMUM 33% OFFSET** — Per ANSI A108.02 §4.3.8.2, large-format tile (any side greater than 15") in a running bond, brick joint, or other offset pattern shall be installed at a maximum 33% offset, not 50%, unless the manufacturer specifies otherwise. Offsets greater than 33% require a signed mock-up approved by specifier and owner.
2. **MINIMUM GROUT JOINT WIDTH** — For tiles with any side greater than 15": 1/8" minimum for rectified, 3/16" minimum for calibrated. Joint width must be increased over the minimum by the amount of edge warpage on the longest edge. The actual grout joint shall be at least three times the actual variation in tile facial dimensions, and never less than 1/16".
3. **SUBSTRATE FLATNESS** — For tiles with at least one edge ≥ 15", maximum allowable substrate variation is 1/8" in 10 ft from the required plane, with no more than 1/16" variation in any 24" span. Tiles with all edges under 15" allow 1/4" in 10 ft, with no more than 1/16" in any 12". A flat substrate is the foundation; offset and grout discipline cannot compensate for an out-of-plane subfloor.

A NOTE ON LIGHTING

Even ANSI-compliant installations can look defective under critical lighting. Wall-wash fixtures mounted at the wall-ceiling interface, cove lighting, and sidelight from windows and doors all cast shadows that amplify lippage and grout joint variation. Per the TCNA Handbook, wall-wash lights should sit at least 24 inches (2 feet) from the tile face. The TCNA also advises: when inspecting a finished installation, turn off the critical lighting and view perpendicular to the surface. Specifiers should coordinate lighting placement with tile pattern and grout joint width during design — not after installation. A mock-up under the actual lighting condition is the only reliable preview.

MATERIAL • STRENGTH, HARDNESS & RESISTANCE

These properties measure the physical and chemical performance of the tile body and surface. Specify with conditions in mind: load, exposure, cleaning regimen, and the realities of the space. Breaking strength, chemical resistance and stain resistance are each reported under two standards families — European (EN ISO) and American (ASTM). A line beneath each collection's technical data names the standard its values were tested to. The two families are not interchangeable and results do not convert between them.

Mohs *Scratch Hardness — surface durability against abrasion*

Tested per ASTM C1895, Mohs scratch hardness ranks a surface's resistance to scratching on the 1–10 mineral scale. Matte finishes typically score higher than polished surfaces; through-body porcelain outperforms glazed tile against deep scratches.

MOHS	REFERENCE MINERAL	PERFORMANCE / APPLICATION
3	Calcite (≈ a copper coin)	Wall tile only — soft glazes scratch easily under foot traffic
4	Fluorite	Light residential floors with soft footwear; decorative installations
5	Apatite (≈ a knife blade)	Most glossy porcelain — residential floors with conventional footwear
6	Feldspar (≈ a steel file)	Heavy residential, light commercial — most matte porcelain
7	Quartz (sand)	Commercial and exterior — through-body porcelain, technical surfaces
8+	Topaz and harder	Heavy commercial, industrial — extremely abrasive environments

Breaking Strength *ASTM C648 · EN ISO 10545-4 — structural integrity, load-bearing capacity*

The force required to fracture a tile. Like chemical and stain resistance, it is reported under two standards families. ASTM C648 reports pounds-force and ANSI A137.1 sets the minimums; EN ISO 10545-4 reports newtons and EN 14411 sets the minimums. The two methods load the tile differently, so the results are not interchangeable and do not convert between them.

REQUIREMENT SET	APPLIES TO	MINIMUM
ANSI A137.1 · ASTM C648	Glazed wall tile	≥ 125 lbf average — no single tile below 100 lbf
ANSI A137.1 · ASTM C648	All floor tile — ceramic mosaic, quarry, pressed floor and porcelain	≥ 250 lbf average — no single tile below 225 lbf
EN 14411 · EN ISO 10545-4	Dry-pressed porcelain, water absorption ≤ 0.5% (group Bla)	≥ 1300 N at 7.5 mm thickness and above; ≥ 700 N below 7.5 mm

ANSI A137.1 defines no separate porcelain or heavy-commercial tier. Note the difference between a minimum and a measurement: where a collection's technical data reads "meets EN 14411," the value shown is the requirement the tile clears — not the strength at which that tile broke. Where loading governs the specification, ask for the tested value and the standard it was tested to.

Chemical Resistance *ASTM C650 · EN ISO 10545-13 — exposure to cleaners and reagents*

Measures whether a tile's surface is affected by prolonged exposure to household chemicals, swimming pool salts, and acids and alkalis. ASTM C650 reports a binary result for each reagent — affected or not affected — with no graded scale. EN ISO 10545-13 grades the same exposures on a letter scale, and that is the form in which most European-made tile is reported.

EXPOSURE	EN ISO 10545-13 NOTATION	EN 14411 REQUIREMENT
Household chemicals and swimming pool salts	GA, GB, GC (glazed) · UA, UB, UC (unglazed)	Minimum class B
Acids and alkalis, low concentration	GLA–GLC · ULA–ULC	Declared by the manufacturer
Acids and alkalis, high concentration	GHA–GHC · UHA–UHC	Declared by the manufacturer

G = glazed, U = unglazed. Class A is the highest resistance, class C the lowest. Reagents include ammonium chloride, sodium hypochlorite, hydrochloric and citric acids and potassium hydroxide at low and high concentration.

Stain Resistance *ASTM C1378 · EN ISO 10545-14 — resistance to common staining agents*

Four cleaning procedures are applied in sequence until the stain is removed. ASTM C1378 reports only affected or not affected. EN ISO 10545-14 assigns a class according to which procedure was needed — and that class is what appears in this catalogue's technical data.

EN ISO CLASS	STAIN REMOVED BY	CORRESPONDING ASTM C1378 PROCEDURE
5	Running hot water	A
4	Weak cleaning agent, pH 6.5–7.5, by hand	B
3	Strong cleaning agent, pH 9–10, mechanical brush	C
2	24-hour immersion in solvent	D
1	Not removable by any procedure	—

Class 5 is the highest resistance, class 1 the lowest. EN 14411 requires a minimum of class 3 for glazed tile — the "min 3" shown against some collections in this catalogue is that requirement. ASTM C1378 uses the same four procedures but assigns no class. Glazed tile typically outperforms unglazed; through-body porcelain hides surface staining better than light-bodied ceramic.



PERA TILE

peratile.com

T +1 (310) 605-0050

F +1 (310) 605-0056

2730 E El Presidio St Carson, CA 90810